


Product Catalogue


✉ info@imixsound.com ☎ +27 61 187 4472 / +27 74 484 4393

PA systems / Combos



- Large sound systems


| Image | Title | Attributes | Retail Price |
|---|---|--|--------------|
|  | <p>SKU: IM-LA2210-LA2218</p> <p>Imix 8x LA2210 2x 2218 Line Array Combo</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • 1: LA-2210 MK2 – Dual 10" Two-Way Line Array Speaker • 2: LA-2218 MK2 – Dual 18" Compact Line Array Subwoofer • 3: HA4M Power Distributor • 4: AMPS 4 Audio Processor (4-in, 8-out) • 5: X1800 Power Amplifier x 3 | R250000,00 |




- Passive Sound Systems

| Image | Title | Attributes | Retail Price |
|---|---|--|--------------|
|  | <p>SKU: IM-LA2210-LA2218</p> <p>Imix 8x LA2210 2x 2218 Line Array Combo</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • 1: LA-2210 MK2 – Dual 10" Two-Way Line Array Speaker • 2: LA-2218 MK2 – Dual 18" Compact Line Array Subwoofer • 3: HA4M Power Distributor • 4: AMPS 4 Audio Processor (4-in, 8-out) • 5: X1800 Power Amplifier x 3 | R250000,00 |

- Active Sound Systems




| Image | Title | Attributes | Retail Price |
|---|---|--|--------------|
|  | <p>AP15 and M18P Active Speaker Combo</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • 1: Imix AP-15 15" Active Speaker x 2 • 2: Imix M18P 18" 4000W Active Subwoofer x 2 • 3: Imix I-EFX 8 Channel Analogue Mixer x 1 • 4: Imix Adjustable Screw In Speaker Pole x 2 • 5: Imix K-7000 UHF Dual Wireless Microphone x 1 • 6: 20M XLR To XLR Cable x 4 | R42330,00 |
|  | <p>Imix APA12A and IM718P Active Speaker Combo</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • 1: Imix IM718P 18" 4000W Powered Subwoofer x 2 • 2: K-7000,UHF Dual Adjustable Frequency Wireless Microphone x 1 • 3: Imix I-EFX 8-Channel Analogue Mixer x 1 • 4: Imix APA12A 12" Active Full-Range Speaker x 2 • 5: Imix Adjustable Screw In Speaker Pole x 2 • 6: 20M XLR To XLR Cable x 4 | R38130,00 |

| | | | |
|---|---|---|------------------|
|  | <p>Imix APA12A and M18P Active Speaker Combo View Product Online</p> | <ul style="list-style-type: none"> • 1: Imix M18P 18" 4000W Powered Subwoofer x 2 • 2: K-7000,UHF Dual Adjustable Frequency Wireless Microphone x 1 • 3: Imix I-EFX 8-Channel Analogue Mixer x 1 • 4: Imix APA12A 12" Active Full-Range Speaker x 2 • 5: Imix Adjustable Screw In Speaker Pole x 2 • 6: 20M XLR To Jack Cable x 4 | <p>R41230,00</p> |
|  | <p>Imix ES112P and IM718P Active Speaker Combo View Product Online</p> | <ul style="list-style-type: none"> • 1: Imix IM718P 18" 4000W Powered Subwoofer x 2 • 2: K-7000,UHF Dual Adjustable Frequency Wireless Microphone x 1 • 3: Imix I-EFX 8-Channel Analogue Mixer x 1 • 4: Imix ES112P 12" Active Full-Range Speaker x 2 • 5: Imix Adjustable Screw In Speaker Pole x 2 • 6: 20M XLR To Jack Cable x 4 | <p>R40830,00</p> |
|  | <p>Imix ES112P and M18P Active Speaker Combo View Product Online</p> | <ul style="list-style-type: none"> • 1: Imix M18P 18" 4000W Powered Subwoofer x 2 • 2: K-7000,UHF Dual Adjustable Frequency Wireless Microphone x 1 • 3: Imix I-EFX 8-Channel Analogue Mixer x 1 • 4: Imix ES112P 12" Active Full-Range Speaker x 2 • 5: Imix Adjustable Screw In Speaker Pole x 2 • 6: 20M XLR To Jack Cable x 4 | <p>R43930,00</p> |
|  | <p>Imix ES115P and IM718P Active Speaker Combo View Product Online</p> | <ul style="list-style-type: none"> • 1: IM718P 18" 4000W Powered Subwoofer x 2 • 2: K-7000,UHF Dual Adjustable Frequency Wireless Microphone x 1 • 3: Imix I-EFX 8-Channel Analogue Mixer x 1 • 4: Imix ES115P 15" Active Full-Range Speaker x 2 • 5: Imix Adjustable Screw In Speaker Pole x 2 • 6: 20M XLR To XLR Cable x 4 | <p>R42830,00</p> |
|  | <p>Imix ES115P and M18P Active Speaker Combo View Product Online</p> | <ul style="list-style-type: none"> • 1: M-18P 18" 4000W Powered Subwoofer x 2 • 2: K-7000,UHF Dual Adjustable Frequency Wireless Microphone x 1 • 3: Imix I-EFX 8-Channel Analogue Mixer x 1 • 4: Imix ES115P 15" Active Full-Range Speaker x 2 • 5: Imix Adjustable Screw In Speaker Pole x 2 • 6: 20M XLR To XLR Cable x 4 | <p>R45930,00</p> |
|  | <p>Imix M15P and IM718P Active Speaker Combo View Product Online</p> | <ul style="list-style-type: none"> • 1: Imix IM718P 18" 4000W Powered Subwoofer x 2 • 2: K-7000,UHF Dual Adjustable Frequency Wireless Microphone x 1 • 3: Imix I-EFX 8-Channel Analogue Mixer x 1 • 4: Imix M15P 15" Active Full-Range Speaker x 2 • 5: Imix Adjustable Screw In Speaker Pole x 2 • 6: 20M XLR To XLR Cable x 4 | <p>R37130,00</p> |
|  | <p>Imix M15P and M18P Active Speaker Combo View Product Online</p> | <ul style="list-style-type: none"> • 1: Imix M18P 18" 4000W Powered Subwoofer x 2 • 2: K-7000,UHF Dual Adjustable Frequency Wireless Microphone x 1 • 3: Imix I-EFX 8-Channel Analogue Mixer x 1 • 4: Imix M15P 15" Active Full-Range Speaker x 2 • 5: Imix Adjustable Screw In Speaker Pole x 2 • 6: 20M XLR To XLR Cable x 2=4 | <p>R40230,00</p> |

| | | | |
|---|---|---|----------|
|  | SKU: IMPARTY-10A Imix Party 10A 10" Active Speaker Set w/ Stands And Mic View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 10 Inch Woofer, 1.5 VC • Cabinet Material:: MDF Wood • Power Rating (RMS):: 400 W • Power Rating (Peak):: 400 W • Frequency Response: 60Hz-20Khz • Bluetooth Capable: Yes • Decibel (dB): 115 • Magnet Type:: Ferrite | R4100,00 |
|  | SKU: IMPARTY-12A Imix Party 12A 12" Active Speaker Set w/ Stands And Mic View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 12" LF, 1 x HF • Cabinet Material:: MDF Wood • Power Rating (RMS):: 600 W • Power Rating (Peak):: 1200 W • Frequency Response: 55Hz - 20Khz • Bluetooth Capable: No • Decibel (dB): 94dB • Magnet Type:: Ferrite | R5000,00 |
|  | SKU: IMPARTY-15A Imix Party 15A 15" Active Speaker w/ Stand And Mic View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 15" LF, 1 x HF • Cabinet Material:: MDF Wood • Power Rating (RMS):: 6000 W • Power Rating (Peak):: 1200 W • Frequency Response: 50Hz - 20Hz • Bluetooth Capable: No • Decibel (dB): 94bD • Magnet Type:: Ferrite | R3520,00 |


Speakers

- Passive Speakers


| Image | Title | Attributes | Retail Price |
|---|---|---|--------------|
|  | SKU: MS-18B Real Sound MS-18B 18" Passive Sub Woofer View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 18 Inch LF • Impedance: 8 Ohms • Power Rating (RMS):: 3200 W • Power Rating (Peak):: 800 W • Cabinet Material:: MDF Wood • Frequency Response:: 36Hz-300Hz • Decibel (dB): 131 dB • Magnet Type:: Ferrite • Shipping Weight: 34 Kg | R9650,00 |
|  | SKU: MS-218B Real Sound MS218B 18" Dual Passive Sub Woofer View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 18 " LF x 2 • Impedance: 4 Ohms • Power Rating (RMS):: 1000W • Power Rating (Peak):: 4000w • Cabinet Material:: MDF Wood • Frequency Response:: 36hz-300khz • Decibel (dB): 137 dB • Magnet Type:: Ferrite • Shipping Weight: 85 | R17050,00 |
|  | SKU: IMDB218 Imix DB-218 Double 18 Inch Passive Subwoofer View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: LF 18x2 • Impedance: 4 Ohms • Power Rating (RMS):: 600 W • Power Rating (Peak):: 1200 W • Cabinet Material:: MDF Board • Magnet Type:: Ferrite • Frequency Response:: 38Hz-300Hz | R7650,00 |



| | | | |
|---|---|--|-----------|
|  | SKU: IM221BS Imix IM221BS Double 21" Passive Subwoofer View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: LF 21x2 • Impedance: 4 Ohms • Power Rating (RMS):: 3000 • Power Rating (Peak):: 6000 • Cabinet Material:: Plywood • Frequency Response:: 28Hz-200 Hz • Magnet Type:: Ferrite • Shipping Weight: 145 | R18100,00 |
|  | SKU: IM618 Imix IM-618 18" Passive Subwoofer View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: LF: 18" x 1 • Impedance: 8 Ohms • Power Rating (RMS):: 500W • Cabinet Material:: MDF Wood • Magnet Type:: Ferrite • Power Rating (Peak):: 1000W • Frequency Response:: 35Hz - 150Hz • Decibel (dB): Peak SPL: 130 – 135 dB • Shipping Weight: 35 Kg | R4700,00 |
|  | SKU: IM628 Imix IM-628 Dual 18" Passive Subwoofer View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: LF: 18" x 2 • Impedance: 4 Ohms • Power Rating (RMS):: 1000W • Power Rating (Peak):: 2000W • Cabinet Material:: MDF Wood • Frequency Response:: 35Hz-250Hz • Decibel (dB): 130 dB • Magnet Type:: Ferrite • Shipping Weight: 64 | R6900,00 |
|  | SKU: IM8218 Imix IM-8218 Dual 18" Sub Woofer View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: LF: 18" x 2 • Impedance: 4 Ohms • Power Rating (RMS):: 1600W RMS @ 4Ohm • Cabinet Material:: MDF Wood • Frequency Response:: 38Hz-250Hz • Decibel (dB): 102 dB • Magnet Type:: Ferrite • Power Rating (Peak):: 3200W • Shipping Weight: 88 Kg | R9300,00 |
|  | SKU: IMSM12 Imix SM-12 12" Passive Stage Monitor View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 15 inch (speaker); 1 x 1" (tweeter) • Impedance: 8 Ohm • Power Rating (RMS):: 500 W • Power Rating (Peak):: 1000 W • Cabinet Material:: MDF Wood • Frequency Response:: 45Hz 60Khz • Magnet Type:: Ferrite | R3550,00 |

- Active Speakers

| Image | Title | Attributes | Retail Price |
|---|--|--|--------------|
|  | SKU: IM710P Imix IM-710P 10" Active Speaker View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: LF : 1 x 10" + HF : 1 x 1" • Cabinet Material:: Polypropylene Enclosure • Power Rating (RMS):: 240W • Power Rating (Peak):: 480 watts • Magnet Type:: Ferrite • Frequency Response: 55Hz to 20kHz. • BlueTooth Capable: Yes • DSP: Yes • Speakon Output (Max Output power):: 1 x 200W • Shipping Weight: 12 Kg | R3250,00 |





| | | | |
|---|---|---|-----------------|
|  | <p>SKU: IM712P Imix IM-712P 12" Active Speaker View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: 1.35" Titanium Driver • Cabinet Material:: ABS Plastic • Power Rating (RMS):: 800 Watts • Power Rating (Peak):: 1600 Watts • Magnet Type:: Ferrite • Frequency Response: 55Hz-20KHz • Bluetooth Capable: Yes • Materials: Sponge • Speakon Output (Max Output power):: N/A • DSP: Yes • Decibel (dB): 125 dB peak SPL • Shipping Weight: 15 | <p>R5300,00</p> |
|  | <p>SKU: IMAP12A Imix AP-12 12" Active Speaker View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 12" LF, 1 x HF • Cabinet Material:: MDF Wood • Power Rating (RMS):: 800 W • Power Rating (Peak):: 1600 W • Magnet Type:: Ferrite • Frequency Response: 40Hz - 20Khz • Bluetooth Capable: Yes • DSP: Yes | <p>R7200,00</p> |
|  | <p>SKU: IMAP15A Imix AP-15 15" Active Speaker View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 15" LF, 1 x HF • Cabinet Material:: MDF Wood • Power Rating (RMS):: 800 W • Power Rating (Peak):: 1600 W • Magnet Type:: Ferrite • Frequency Response: 40Hz - 20Khz • Bluetooth Capable: Yes • DSP: Yes | <p>R7750,00</p> |
|  | <p>SKU: IMES112P Imix ES112P 12" Active Speaker View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: LF : 1 x 12" + HF : 1 x 2" • Cabinet Material:: Plywood • Power Rating (RMS):: 1200 W • Power Rating (Peak):: 2400 W • Magnet Type:: Ferrite • Frequency Response: 54Hz-20Khz • Bluetooth Capable: Yes • Speakon Output (Max Output power):: N/A • DSP: Yes • Decibel (dB): 131 dB peak SPL • Shipping Weight: 24 Kg | <p>R8550,00</p> |
|  | <p>SKU: IMES115P Imix ES115P 15" Active Full-Range Speaker View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 15" LF, 1 x HF • Cabinet Material:: MDF Wood • Power Rating (RMS):: 1200 W • Power Rating (Peak):: 2400W • Magnet Type:: Ferrite • Frequency Response: (-3dB) 45Hz?18KHz; (-10dB) 38Hz?20KHz • Bluetooth Capable: Yes • Speakon Output (Max Output power):: NA • DSP: Yes • Decibel (dB): Max SPL 122dB • Shipping Weight: 30kg | <p>R9550,00</p> |
|  | <p>SKU: IM708P Imix IM-708P 8" Active Speaker View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 8" LF, 1 x HF • Cabinet Material:: MDF Wood • Power Rating (RMS):: 400 W • Power Rating (Peak):: 800 W • Frequency Response: 60Hz - 20Khz • Bluetooth Capable: Yes • Magnet Type:: Ferrite • DSP: Yes | <p>R3600,00</p> |
|  | <p>SKU: IM715P Imix IM-715P 15" Active Speaker View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 12 Inch Woofer, 3 VC/ 70 Oz Magnet • Cabinet Material:: Plastic • Power Rating (RMS):: 800 W • Power Rating (Peak):: 1600 W • Frequency Response: 50Hz - 20 KHz • Bluetooth Capable: Yes | <p>R5650,00</p> |

| | | | |
|---|--|--|----------|
|  | <p>SKU: IMM15P Imix M15P Active 2-Way 15" Speaker System View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: 1,75" Titanium Driver • Cabinet Material:: MDF Wood • Power Rating (RMS):: Power Max: 1200 watts • Power Rating (Peak):: 2400 watts • Magnet Type:: Ferrite • Frequency Response: (-3dB) 48Hz?20KHz ; (-10dB) 38Hz?20KHz • BlueTooth Capable: Yes • Shipping Weight: 30kg • Decibel (dB): Max SPL 121dB | R6700,00 |
|  | <p>SKU: IMP-15A Imix P-15A - 15" Active Speaker View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 15 Inch Woofer, 2 Inch VC • Cabinet Material:: MDF Wood • Power Rating (RMS):: 600 W • Power Rating (Peak):: 600 W • Frequency Response: 50Hz-20Khz • BlueTooth Capable: Yes • Decibel (dB): 94 dB • Magnet Type:: Ferrite | R3150,00 |
|  | <p>SKU: IMP-12A Imix P12 A 12" Active Acoustic Speaker View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 12" LF, 1 x HF • Cabinet Material:: Plastic • Power Rating (RMS):: 600 W • Power Rating (Peak):: 1200 W • Frequency Response: 55Hz - 20Khz • BlueTooth Capable: Yes • Decibel (dB): 94dB | R2950,00 |
|  | <p>SKU: IMPARTY-10A Imix Party 10A 10" Active Speaker Set w/ Stands And Mic View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 10 Inch Woofer, 1.5 VC • Cabinet Material:: MDF Wood • Power Rating (RMS):: 400 W • Power Rating (Peak):: 400 W • Frequency Response: 60Hz-20Khz • BlueTooth Capable: Yes • Decibel (dB): 115 • Magnet Type:: Ferrite | R4100,00 |
|  | <p>SKU: IMPARTY-12A Imix Party 12A 12" Active Speaker Set w/ Stands And Mic View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 12" LF, 1 x HF • Cabinet Material:: MDF Wood • Power Rating (RMS):: 600 W • Power Rating (Peak):: 1200 W • Frequency Response: 55Hz - 20Khz • BlueTooth Capable: No • Decibel (dB): 94dB • Magnet Type:: Ferrite | R5000,00 |
|  | <p>SKU: IMPARTY-15A Imix Party 15A 15" Active Speaker w/ Stand And Mic View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 15" LF, 1 x HF • Cabinet Material:: MDF Wood • Power Rating (RMS):: 6000 W • Power Rating (Peak):: 1200 W • Frequency Response: 50Hz - 20Hz • BlueTooth Capable: No • Decibel (dB): 94bD • Magnet Type:: Ferrite | R3520,00 |
|  | <p>SKU: IMSM12A Imix SM-12A 12" Active Stage Monitor View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: 1 x LF, 1 x HF • Cabinet Material:: MDF Wood • Power Rating (RMS):: 500 W • Power Rating (Peak):: 1000 W • Magnet Type:: Ferrite • Frequency Response: 45Hz- 20Khz • BlueTooth Capable: No • Speakon Output (Max Output power):: Passive Output | R5100,00 |


| | | | |
|---|--|--|-----------------|
|  | <p>SKU: IMPOWERBOX-15R PowerBox 15R Rechargeable Speaker View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 15" LF, 1 x 1" HF • Cabinet Material:: ABS Plastic • Power Rating (RMS):: 400 W • Magnet Type:: Ferrite • Frequency Response: 45Hz - 20kHz • BlueTooth Capable: Yes • DSP: Yes • Decibel (dB): 118dB • Power Rating (Peak):: 800 W • Speakon Output (Max Output power):: No • Shipping Weight: 23 | <p>R5000,00</p> |
|  | <p>SKU: IMPOWERBOX-8R PowerBox 8R Active 8" Battery Powered Speaker View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: 1" titanium driver • Cabinet Material:: MDF Wood • Power Rating (RMS):: 200 watts • Power Rating (Peak):: Power peak 200w • Magnet Type:: Ferrite • Frequency Response: Frequency Response: 70Hz-20KHz • BlueTooth Capable: Yes | <p>R2800,00</p> |

- Full Range Speakers

| Image | Title | Attributes | Retail Price |
|--|--|--|------------------|
|  | <p>SKU: MS-12/2+ Real Sound MS-12/2+ 12" Full Range Passive Speaker View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: LF: 12 Inch x 1, HF x 1 • Impedance: 8 Ohms • Power Rating (RMS):: 500 W • Power Rating (Peak):: 2000W • Cabinet Material:: MDF Wood • Frequency Response:: 55Hz – 19KHz • Magnet Type:: Ferrite • Shipping Weight: 30 kg | <p>R7000,00</p> |
|  | <p>SKU: MS-15/2+ Real Sound MS-15/2+ Full Range Passive Speaker View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: LF: 15 Inch x 1, HF x 1 • Impedance: 8 Ohms • Power Rating (RMS):: 600 W • Power Rating (Peak):: 2400 W • Cabinet Material:: MDF Wood • Frequency Response:: 52hz-19khz • Decibel (dB): 136dB • Magnet Type:: Ferrite • Shipping Weight: 32kg | <p>R9250,01</p> |
|  | <p>SKU: MS-215/2+ Real Sound MS-215/2+ 15" Dual Passive Speaker View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: LF 15" x 2, HF x1 • Impedance: 8 Ohms • Power Rating (RMS):: 850 W • Power Rating (Peak):: 3400 W • Cabinet Material:: MDF Wood • Frequency Response:: 50Hz – 19KHz • Decibel (dB): 137 dB • Magnet Type:: Ferrite • Shipping Weight: 64 | <p>R13700,00</p> |
|  | <p>SKU: IM712 Imix IM-712 12" Full Range Speaker View Product Online</p> | <ul style="list-style-type: none"> • Driver Configuration:: LF: 12" x 1, HF: 44mm x 1 • Impedance: 8 Ohms • Power Rating (RMS):: 300 W • Cabinet Material:: MDF Wood • Frequency Response:: 55Hz-19KHz • Decibel (dB): 96 dB • Magnet Type:: Ferrite • Power Rating (Peak):: 600 W • Shipping Weight: 16 Kg | <p>R3300,00</p> |




| | | | |
|---|---|---|-----------|
|  | SKU: IM715 Imix IM-715 15" Full Range Speaker View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: LF: 15" x 1, HF: 44mm x 1 • Impedance: 8 Ohms • Power Rating (RMS):: 350 W • Cabinet Material:: MDF Wood • Frequency Response:: 65Hz-18KHz • Decibel (dB): 98 dB • Magnet Type:: Ferrite • Shipping Weight: 22 Kg • Power Rating (Peak):: 1050 W | R4000,00 |
|  | SKU: IM725 Imix IM-725 Dual 15" Full Range Speaker View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: LF 15 x 2, HF: 44mm x 1 • Impedance: 4 Ohms • Power Rating (RMS):: 350 W • Cabinet Material:: MDF Wood • Frequency Response:: 60hz-18khz • Decibel (dB): 127dB • Magnet Type:: Ferrite • Shipping Weight: 45 kg • Power Rating (Peak):: 700 W | R6000,00 |
|  | SKU: IMLX8215 Imix LX8215 Dual 15" Passive Speaker View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: LF: 15" x 2, HF: 75mm x 1 • Impedance: 8 Ohms • Power Rating (RMS):: 1000 W • Cabinet Material:: Plywood • Frequency Response:: 35Hz-20KHz • Decibel (dB): (1w / 1m) : 103 dB • Magnet Type:: Ferrite • Shipping Weight: 40 Kg • Power Rating (Peak):: 2000 W | R16100,00 |
|  | SKU: IMP-12 Imix P-12 12" Passive Speaker View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 12" LF, 1 x HF • Cabinet Material:: ABS Plastic • Power Rating (RMS):: 600 W • BlueTooth Capable: No • Magnet Type:: Ferrite • Decibel (dB): 94dB • Power Rating (Peak):: 1200 W • Shipping Weight: 13 Kg • Impedance: 8 Ohm | R1740,00 |
|  | SKU: IMP-15 Imix P-15 - 15" Passive Speaker View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 15" LF, 1 x HF • Cabinet Material:: ABS Plastic • Power Rating (RMS):: 600 • Magnet Type:: Ferrite • BlueTooth Capable: No • Decibel (dB): 94 dB • Power Rating (Peak):: 1200 w • Shipping Weight: 18KG • Impedance: 8 ohms | R2000,00 |

- Bass Bins / Sub woofers



| Image | Title | Attributes | Retail Price |
|---|--|---|--------------|
|  | SKU: ES118BP Imix ES 118BP Active Subwoofer View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 1x18 Inch Subwoofer, 3 Inch VC • Cabinet Material:: Plywood • Power Rating (RMS):: 700 • Power Rating (Peak):: 1400 • Magnet Type:: Ferrite • Frequency Response: 35 Hz - 150 kHz • BlueTooth Capable: No • Decibel (dB): 96 • Shipping Weight: 45 • Speakon Output (Max Output power):: 2 x 500W @ 4 Ohms • DSP: No | R11000,00 |

| | | | |
|--|---|---|-----------|
|  | SKU: IM718P Imix IM718P 2400W Active Subwoofer View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 1x18 Inch Subwoofer, 3 Inch VC • Cabinet Material:: MDF Wood • Power Rating (RMS):: 1200 • Power Rating (Peak):: 2400 • Magnet Type:: Ferrite • Frequency Response: 35Hz-150KHz • BlueTooth Capable: No • Decibel (dB): 96 dB • Shipping Weight: 28 Kg • DSP: Yes | R8450,00 |
|  | SKU: IM728P Imix IM728P Active Subwoofer View Product Online | | R14800,00 |
|  | SKU: IMM18P Imix M18P 18" 4000W Active Subwoofer View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 1 X 18" LF • Cabinet Material:: MDF Wood • Power Rating (RMS):: Power Max: 2000W • Power Rating (Peak):: Power Max: 4000 watts • Magnet Type:: Ferrite • Frequency Response: 40Hz-20KHz • BlueTooth Capable: No | R10000,00 |
|  | SKU: IMPARTY-18A Imix Party 18A 18" Active Subwoofer View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 18 Inch Subwoofer,3 Inch VC • Cabinet Material:: MDF Wood • Power Rating (RMS):: 600 W • Power Rating (Peak):: 1200 W • Frequency Response: 35Hz - 150 Khz • BlueTooth Capable: No • Decibel (dB): 94 dB | R5000,00 |







- Line Array Speakers

| Image | Title | Attributes | Retail Price |
|---|--|---|--------------|
|  | SKU: IMLA2212 Imix LA2212 Passive Line Array View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 2 x 12' LF, 2 X HF • Impedance: 4 Ohms • Power Rating (RMS):: 900 W • Power Rating (Peak):: 1800 W • Cabinet Material:: MDF Wood • Frequency Response:: 55Hz to 18kHz • Magnet Type:: Ferrite • Shipping Weight: 33kg | R14300,00 |
|  | SKU: IMLM312 Imix LM312 Passive Line Array View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 2 X 12", 4 x 6.5", 2 x 3" • Impedance: 8 Ohm • Power Rating (RMS):: 1000 W • Power Rating (Peak):: 2000 W • Cabinet Material:: MDF Wood • Frequency Response:: 56Hz – 20KHz • Decibel (dB): 136dB • Magnet Type:: Ferrite • Shipping Weight: 49 kg | R28500,00 |
|  | SKU: IMLA210-DSP Imix LA210-DSP Active Line Array View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 2 x 10" LF, 1 X 3" HF • Cabinet Material:: MDF Wood • Power Rating (RMS):: 1200W • Power Rating (Peak):: 2400W • Magnet Type:: Ferrite • Frequency Response: 80Hz - 20Khz • BlueTooth Capable: No • DSP: Yes | R12700,00 |

- Battery Powered Speakers





| Image | Title | Attributes | Retail Price |
|---|---|--|--------------|
|  | SKU: IMPOWERBOX-15R PowerBox 15R Rechargeable Speaker View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 1 x 15" LF, 1 x 1" HF • Cabinet Material:: ABS Plastic • Power Rating (RMS):: 400 W • Magnet Type:: Ferrite • Frequency Response: 45Hz - 20kHz • BlueTooth Capable: Yes • DSP: Yes • Decibel (dB): 118dB • Power Rating (Peak):: 800 W • Speakon Output (Max Output power):: No • Shipping Weight: 23 | R5000,00 |
|  | SKU: IMPOWERBOX-8R PowerBox 8R Active 8" Battery Powered Speaker View Product Online | <ul style="list-style-type: none"> • Driver Configuration:: 1" titanium driver • Cabinet Material:: MDF Wood • Power Rating (RMS):: 200 watts • Power Rating (Peak):: Power peak 200w • Magnet Type:: Ferrite • Frequency Response: Frequency Response: 70Hz-20KHz • BlueTooth Capable: Yes | R2800,00 |












- Installation Speakers











| Image | Title | Attributes | Retail Price |
|---|--|---|--------------|
|  | SKU: IMCS6 Imix CS6 6" 10-20 W Coaxial Ceiling Speaker View Product Online | <ul style="list-style-type: none"> • Power: 10-20 W • Water Proof: No | R550,00 |
|  | SKU: IMCS6.5-1 Imix CS6.5 Ceiling Speaker View Product Online | <ul style="list-style-type: none"> • Power: 3-6 W • Water Proof: No | R160,00 |
|  | SKU: IMCS6.5T Imix CS6.5T 6.5" 10-30 W Ceiling Speaker View Product Online | <ul style="list-style-type: none"> • Power: 10-30 W • Water Proof: No | R450,00 |
|  | SKU: IMRS-6 Imix RS-6 6" Ceiling Speaker View Product Online | <ul style="list-style-type: none"> • Power: 3 - 6W • Water Proof: No | R150,01 |
|  | SKU: IMRS-8 Imix RS-8 8" 3-6W Ceiling Speaker View Product Online | <ul style="list-style-type: none"> • Power: 3-6 W • Water Proof: No | R175,01 |
|  | SKU: IMRS-8T Imix RS-8T 8" 10-30W Coaxial Ceiling Speaker View Product Online | <ul style="list-style-type: none"> • Power: 10-30 W • Water Proof: No | R640,00 |


| | | | |
|---|--|--|----------|
|  | SKU: IMH50 Imix H50 All Weather Horn Speaker View Product Online | <ul style="list-style-type: none"> • Power: 25w/50w • Water Proof: Yes • Sensitivity: 91 ± 3dB • Frequency Response: 300-8000 Hz | R680,00 |
|  | SKU: IMH60 Imix H60 Public Address System View Product Online | <ul style="list-style-type: none"> • Power: 30w/60w • Water Proof: Yes | R2300,00 |
|  | SKU: IMWM-6-B Imix IMWM-6-B 6" Black Wall Mount Speaker 30W View Product Online | <ul style="list-style-type: none"> • Power: 3.75-30 W • Sensitivity: 92 dB • Frequency Response: 40Hz - 16Khz • Water Proof: No | R820,00 |
|  | SKU: IMWM6-W Imix IMWM6-W 6" White Wall Mount Speaker 30W View Product Online | <ul style="list-style-type: none"> • Power: 3,75-30W • Sensitivity: 92 dB • Frequency Response: 40Hz -16Khz • Water Proof: No | R820,00 |
|  | SKU: IMWM8-B Imix IMWM8-B 8" Black Wall Mount Speaker 30W View Product Online | <ul style="list-style-type: none"> • Power: 3.75-30 W • Sensitivity: 92 dB • Frequency Response: 40Hz - 16Khz • Water Proof: No | R1630,00 |
|  | SKU: IMWM8-W Imix IMWM8-W 8" White Wall Mount Speaker 30W View Product Online | <ul style="list-style-type: none"> • Power: 3,75-30W • Sensitivity: 92 dB • Frequency Response: 40Hz -16Khz • Water Proof: No | R1630,00 |

- PA Speaker Components

| Image | Title | Attributes | Retail Price |
|---|--|--|--------------|
|  | SKU: B44330 Diaphragm for B&C DE885TN, DE800VC View Product Online | <ul style="list-style-type: none"> • Voice coil Diameter: 74.5mm | R350,00 |
|  | SKU: B50211 Diaphragm for EV DH2001, DH2005, DH2010A View Product Online | <ul style="list-style-type: none"> • Voice coil Diameter: 32.0 mm/ 31.8mm | R330,00 |
|  | SKU: B46710 Diaphragm for EV ELX VC DIAMETER :36.0MM View Product Online | <ul style="list-style-type: none"> • Voice coil Diameter: 36.0mm | R330,00 |
|  | SKU: B42197 Diaphragm for EV ND2-8 and ND2S-8 View Product Online | <ul style="list-style-type: none"> • Voice coil Diameter: 51.0mm | R500,00 |

| | | | |
|---|---|---|---------|
|  | <p>SKU: B32002 Diaphragm for Fostex, Foster</p> <p>View Product Online</p> | <ul style="list-style-type: none"> Voice coil Diameter: 25.4mm | R100,00 |
|  | <p>SKU: B33150 Diaphragm for Fostex, Foster</p> <p>View Product Online</p> | <ul style="list-style-type: none"> Voice coil Diameter: 25.4mm | R100,00 |
|  | <p>SKU: B44710 Diaphragm for JBL 2431, 2430H, 2435</p> <p>View Product Online</p> | <ul style="list-style-type: none"> Voice coil Diameter: 76.2mm | R650,00 |
|  | <p>SKU: B54150 Diaphragm for JBL SRX AND 24 SERIES KSV-CCAR Material</p> <p>View Product Online</p> | <ul style="list-style-type: none"> Voice coil Diameter: 99.2mm | R750,00 |
|  | <p>SKU: B56100 Diaphragm for JBL SRX AND 24 SERIES NSV-ALR Material</p> <p>View Product Online</p> | <ul style="list-style-type: none"> Voice coil Diameter: 99.2mm | R750,00 |
|  | <p>SKU: B45300 Diaphragm for JBL SRX, JBL 24 SERIES KSV-CCAR Material</p> <p>View Product Online</p> | <ul style="list-style-type: none"> Voice coil Diameter: 99.2mm | R660,00 |
|  | <p>SKU: B55511 Diaphragm for PAudio BMD450, RCF445 8ohm</p> <p>View Product Online</p> | <ul style="list-style-type: none"> Voice coil Diameter: 44.4mm | R300,00 |
|  | <p>SKU: B55822 Diaphragm for PAudio BMD750+Turbosound CD</p> <p>View Product Online</p> | <ul style="list-style-type: none"> Voice coil Diameter: 72.2mm | R500,00 |
|  | <p>SKU: D26000 Diaphragm for Selenium RPS T200, PST 888</p> <p>View Product Online</p> | <ul style="list-style-type: none"> Voice coil Diameter: 62.2mm | R150,00 |
|  | <p>SKU: IMHD44-S2 60W Compression Driver HD44-S2</p> <p>View Product Online</p> | <ul style="list-style-type: none"> Power Rating: 60 W Nominal Impedance: 8 Ohms Magnet Type: Ferrite | R600,00 |
|  | <p>SKU: IMHD44-S3 60W Compression Driver HD44-S3</p> <p>View Product Online</p> | <ul style="list-style-type: none"> Power Rating: 60 W Nominal Impedance: 8 Ohms Magnet Type: Ferrite | R360,00 |

| | | | |
|---|---|---|----------|
|  | SKU: IMHD44-S1 40W Compression Driver HD44-S1 View Product Online | <ul style="list-style-type: none"> • Power Rating: 40 W • Nominal Impedance: 8 Ohms • Magnet Type: Ferrite | R360,00 |
|  | SKU: IMHD75A-120W 120W Compression Driver HD75A View Product Online | <ul style="list-style-type: none"> • Power Rating: 120 W • Nominal Impedance: 8 Ohms • Magnet Type: Ferrite | R800,00 |
|  | SKU: IMNHD75 120W Neodymium Compression Driver NHD75 View Product Online | <ul style="list-style-type: none"> • Power Rating: 80W RMS • Nominal Impedance: 8 Ohms • Magnet Type: Ferrite | R1300,00 |
|  | SKU: IMDP44S1 DP44-S1 Diaphragm For HD44-S1 View Product Online | <ul style="list-style-type: none"> • Voice coil Diameter: 45mm • Outer ring Diameter: 65 mm | R180,00 |
|  | SKU: IMDP44-S2 DP44-S2 Diaphragm For HD44-S2 View Product Online | <ul style="list-style-type: none"> • Voice coil Diameter: 45 mm • Outer ring Diameter: 65 mm | R190,00 |
|  | SKU: IMDP44-S3 HT40 DP44-S3 Diaphragm For HD44-S3 View Product Online | | R100,00 |
|  | SKU: IMDP75A Diaphragm For HD75A View Product Online | <ul style="list-style-type: none"> • Voice coil Diameter: 74 mm • Outer ring Diameter: 99 mm | R250,00 |
|  | SKU: IMNDP75 Diaphragm For NHD75 View Product Online | <ul style="list-style-type: none"> • Voice coil Diameter: 74 mm • Outer ring Diameter: 99 mm | R500,00 |
|  | SKU: IMLA210-FRAME Imix Flying Frame for IMLA210-DSP View Product Online | | R3900,00 |
|  | SKU: IMXOS1 Imix Professional Cross Over XO-S1 View Product Online | <ul style="list-style-type: none"> • Type:: 2-Way passive cross over • Frequency:: 2000Hz, LF/HF • Slope:: 12dB/octave • Protection:: HF PTC Protection/Attenuation • Impedance:: LF/ 8 Ohms, HF/ 8 Ohms | R520,00 |
|  | SKU: IMXOS2 Imix Professional Cross Over XO-S2 View Product Online | <ul style="list-style-type: none"> • Type:: 3-Way Passive Crossover • Frequency:: 2000Hz (LF/HF) • Slope: 12dB/octave • Protection:: HF PTC Protection/Attenuation • Impedance:: LF/ 8 Ohms, HF/ 8 Ohms | R675,00 |

| | | | |
|---|---|--|--------|
|  | SKU: IMFL44 Tweeter Horn Adapter View Product Online | | R50,00 |
|---|---|--|--------|

- Loose Speakers


| Image | Title | Attributes | Retail Price |
|---|--|---|--------------|
|  | SKU: IM15-500A Imix IM15-500A 500W Loose Speaker View Product Online | <ul style="list-style-type: none"> • Speaker Size:: 15 " • Impedance: 8 Ohms • Power Rating (RMS):: 500 W • Power Rating (Peak):: 1000 W • Magnet Type: Ferrite • Shipping Weight: 14.6Kg | R1800,00 |
|  | SKU: IM151000 Imix IM151000 1000W Loose Speaker View Product Online | <ul style="list-style-type: none"> • Speaker Size:: 15 Inch • Impedance: 8 Ohms • Power Rating (RMS):: 500 W • Power Rating (Peak):: 1000 w • Magnet Type: Ferrite • Shipping Weight: 11,5 | R2750,00 |
|  | SKU: IM6N300 Imix IM6N300 6" 600W Loose Speaker View Product Online | <ul style="list-style-type: none"> • Speaker Size:: 6 " • Impedance: 8 Ohms • Power Rating (RMS):: 300 W • Power Rating (Peak):: 600 W • Magnet Type: Ferrite • Shipping Weight: 2 | R1380,00 |
|  | SKU: L18X451 Imix L18X451 18" 1200 W Loose Speaker View Product Online | <ul style="list-style-type: none"> • Speaker Size:: 18 " • Impedance: 8 Ohms • Power Rating (RMS):: 1200 W • Power Rating (Peak):: 2400 W • Voice Coil Diameter: 114mm/ 4,5 inch • Frequency Range: 45-2000 Hz • Decibel (dB): 93dB • Magnet Type: Ferrite • Shipping Weight: 16.83 Kg | R2880,03 |
|  | SKU: IM18RC1400 Imix 18RC1400 18" 1400W Loose Speaker View Product Online | <ul style="list-style-type: none"> • Speaker Size:: 18 " • Impedance: 8 Ohms • Power Rating (RMS):: 1400 W • Power Rating (Peak):: 2800 W • Frequency Range: 45Hz - 20Khz • Magnet Type: Ferrite • Shipping Weight: 13Kg | R2650,00 |
|  | SKU: IM21F2500 Imix IM21F2500 21" 2500W Loose Speaker View Product Online | <ul style="list-style-type: none"> • Speaker Size:: 21 " • Impedance: 8 Ohms • Power Rating (RMS):: 2500 W • Power Rating (Peak):: 5000 W • Magnet Type: Ferrite • Shipping Weight: 21 Kg | R5100,00 |
|  | SKU: IM18RC800 Imix 18RC800 18" 800W Loose Speaker View Product Online | <ul style="list-style-type: none"> • Speaker Size:: 18 " • Impedance: 8 ohms • Power Rating (RMS):: 800 W • Power Rating (Peak):: 1600 W • Voice Coil Diameter: 4 " • Frequency Range: 45Hz - 2Khz • Magnet Type: Ferrite | R2050,00 |



| | | | |
|---|---|---|-----------|
|  | <p>SKU: IM10F250 Imix IM10F250 10" 250W Loose Speaker View Product Online</p> | <ul style="list-style-type: none"> • Speaker Size:: 10 " • Impedance: 8 Ohms • Power Rating (RMS):: 250 W • Power Rating (Peak):: 500 W • Magnet Type: Ferrite • Shipping Weight: 6kg | R750,00 |
|  | <p>SKU: IM10N300 Imix IM10N300 10" 300W Loose Speaker View Product Online</p> | <ul style="list-style-type: none"> • Speaker Size:: 10 " • Impedance: 8 Ohms • Power Rating (RMS):: 300 W • Power Rating (Peak):: 600 W • Magnet Type: Ferrite • Shipping Weight: 6kg | R1560,00 |
|  | <p>SKU: IM12AZ600 Imix IM12AZ600 12" 600W Loose Speaker View Product Online</p> | <ul style="list-style-type: none"> • Speaker Size:: 12 " • Impedance: 8 Ohms • Power Rating (RMS):: 600 W • Power Rating (Peak):: 1200 W • Magnet Type: Ferrite • Shipping Weight: 8kg | R1200,00 |
|  | <p>SKU: IM12BM400 Imix IM12BM400 12" 400W Loose Speaker View Product Online</p> | <ul style="list-style-type: none"> • Speaker Size:: 12 " • Impedance: 8 ohms • Power Rating (RMS):: 400 W • Power Rating (Peak):: 800 W • Magnet Type: Ferrite • Shipping Weight: 8kg | R890,00 |
|  | <p>SKU: IM21N2000 Imix IM21N2000 21" 2000W Neodymium Loose Speaker View Product Online</p> | <ul style="list-style-type: none"> • Speaker Size:: 21 " • Impedance: 8 Ohms • Power Rating (RMS):: 2000 W • Power Rating (Peak):: 4000 W • Magnet Type: Neodymium • Shipping Weight: 19kgs | R10000,00 |
|  | <p>SKU: IM8F100 Imix IM8F100 8" 100W Loose Speaker View Product Online</p> | <ul style="list-style-type: none"> • Speaker Size:: 8" • Impedance: 8 Ohms • Power Rating (RMS):: 100 W • Power Rating (Peak):: 200 W • Magnet Type: Ferrite • Shipping Weight: 2kg | R670,00 |
|  | <p>SKU: IM15-300 Imix 15-300 300W Loose Speaker View Product Online</p> | <ul style="list-style-type: none"> • Speaker Size:: 15-inch • Impedance: 8 ohms • Power Rating (RMS):: 300W • Power Rating (Peak):: 600W • Magnet Type: Ferrite | R800,00 |
|  | <p>SKU: IM15300A Imix 15-300A MK2 300W Loose Speaker View Product Online</p> | <ul style="list-style-type: none"> • Speaker Size:: 15-inch • Impedance: 8 ohms • Power Rating (RMS):: 300 W • Power Rating (Peak):: 600 W • Magnet Type: Ferrite • Shipping Weight: 6.5kg | R1050,00 |
|  | <p>SKU: IM15400A Imix 15-400A 15" 400W Loose Speaker View Product Online</p> | <ul style="list-style-type: none"> • Speaker Size:: 15" • Impedance: 8 ohms • Power Rating (RMS):: 400W • Power Rating (Peak):: 800W • Magnet Type: Ferrite • Shipping Weight: 7.52 Kg • Voice Coil Diameter: 3" • Frequency Range: 40-3500Hz • Decibel (dB): 96 | R1200,00 |

| | | | |
|---|---|---|-----------------|
|  | <p>SKU: IM15RC600 Imix 15RC600 600W Loose Speaker View Product Online</p> | <ul style="list-style-type: none"> • Speaker Size:: 15" • Impedance: 8 ohms • Power Rating (RMS):: 600 W • Power Rating (Peak):: 1200 W • Magnet Type: Ferrite • Voice Coil Diameter: 99.5mm/4in • Frequency Range: 45 - 2000Hz • Decibel (dB): 96 dB • Shipping Weight: 11 kg | <p>R1800,00</p> |
|  | <p>SKU: IM18-500 Imix 18 500 500W Loose Speaker View Product Online</p> | <ul style="list-style-type: none"> • Speaker Size:: 18 inch • Impedance: 8 ohms • Power Rating (RMS):: 500 W • Magnet Type: Ferrite • Power Rating (Peak):: 1000 W • Shipping Weight: 7.32 • Voice Coil Diameter: 75.5mm / 3 inch • Frequency Range: 36Hz~2500Hz • Decibel (dB): 93 | <p>R1100,00</p> |
|  | <p>SKU: IM18-800C Imix 18-800C 800W Loose Speaker View Product Online</p> | <ul style="list-style-type: none"> • Speaker Size:: 18 inch • Impedance: 8 ohms • Power Rating (RMS):: 500W • Power Rating (Peak):: 1000W • Magnet Type: Ferrite • Shipping Weight: 12.5Kgs | <p>R2100,00</p> |
|  | <p>SKU: IM18PA1000 Imix 18PA1000 18" 1000W Loose Speaker View Product Online</p> | <ul style="list-style-type: none"> • Speaker Size:: 18" • Impedance: 8 ohms • Power Rating (RMS):: 1000W • Power Rating (Peak):: 2000W • Magnet Type: Ferrite • Voice Coil Diameter: 4" • Frequency Range: 45-2000Hz • Decibel (dB): 96 • Shipping Weight: 13 | <p>R2550,00</p> |
|  | <p>SKU: IM18PD1600 Imix 18PD1600 18" 1600W Loose Speaker View Product Online</p> | <ul style="list-style-type: none"> • Speaker Size:: 460 mm/18 inch • Impedance: 8 ohms • Power Rating (RMS):: 1600 • Power Rating (Peak):: 3200 • Voice Coil Diameter: 125 mm / 5 inch • Frequency Range: 40Hz~2000Hz • Magnet Type: Ferrite • Shipping Weight: 17.33 kg • Decibel (dB): 97 dB | <p>R2775,00</p> |
|  | <p>SKU: IM18RC1200 Imix 18RC1200 18" 1200W Loose Speaker View Product Online</p> | <ul style="list-style-type: none"> • Speaker Size:: 18" • Impedance: 8 ohms • Power Rating (RMS):: 1200 • Power Rating (Peak):: 2400 • Voice Coil Diameter: 114mm/ 4,5 inch • Frequency Range: 45-2000 Hz • Magnet Type: Ferrite • Shipping Weight: 16.83 Kg • Decibel (dB): 93dB | <p>R2900,00</p> |
|  | <p>SKU: IM21-1600 Imix 21-1600 21" 1600W Loose Speaker View Product Online</p> | <ul style="list-style-type: none"> • Speaker Size:: 21 inch • Impedance: 8 ohms • Power Rating (RMS):: 1600W • Power Rating (Peak):: 3200W • Magnet Type: Ferrite • Frequency Range: 35-2500Hz • Decibel (dB): 97 • Shipping Weight: 23 | <p>R3500,00</p> |

| | | | |
|---|---|--|----------|
|  | SKU: 21CF1800 Imix 21CF1800 21" 1800W Loose Speaker View Product Online | <ul style="list-style-type: none"> • Speaker Size:: 21 inch • Impedance: 8 ohms • Power Rating (RMS):: 1800W • Power Rating (Peak):: 3600W • Magnet Type: Ferrite • Frequency Range: 30-2500Hz • Decibel (dB): 98 • Shipping Weight: 28 | R8660,00 |
|  | SKU: IME10-250 Imix E10-250 10" 250W Neodymium Loose Speaker View Product Online | <ul style="list-style-type: none"> • Speaker Size:: 10 inch • Impedance: 8 ohms • Power Rating (RMS):: 250W • Power Rating (Peak):: 500W • Magnet Type: Ferrite • Decibel (dB): 85 • Shipping Weight: 12 | R1380,00 |
|  | SKU: IME12300 Imix E12-300 12" 300W Neodymium Loose Speaker View Product Online | <ul style="list-style-type: none"> • Speaker Size:: 12 inch • Impedance: 8 ohms • Power Rating (RMS):: 300W • Power Rating (Peak):: 600W • Magnet Type: Ferrite • Decibel (dB): 85 • Shipping Weight: 12 | R1600,00 |
|  | SKU: IME15-400 Imix E15-400 400W Loose Speaker View Product Online | <ul style="list-style-type: none"> • Speaker Size:: 15 inch • Impedance: 8 ohms • Power Rating (RMS):: 400W • Power Rating (Peak):: 800W • Magnet Type: Ferrite | R1650,00 |
|  | SKU: IME8-200 Imix E8-200 200W Loose Speaker View Product Online | <ul style="list-style-type: none"> • Speaker Size:: 8 inch • Impedance: 8 ohms • Power Rating (RMS):: 200W • Power Rating (Peak):: 400W • Magnet Type: Ferrite | R1300,00 |
|  | SKU: 6N100 N9 Audio 6N100 100W Loose Speaker View Product Online | <ul style="list-style-type: none"> • Speaker Size:: 6" • Impedance: 8 ohms • Power Rating (RMS):: 100 W • Power Rating (Peak):: 200 W • Voice Coil Diameter: 38.5mm / 1.5 inch • Frequency Range: 140Hz~6500Hz • Decibel (dB): 96dB • Magnet Type: Ferrite • Shipping Weight: 2.2kg | R400,00 |
|  | SKU: 8N100 N9 Audio 8N100 100W Loose Speaker View Product Online | <ul style="list-style-type: none"> • Speaker Size:: 8" • Impedance: 8 ohms • Power Rating (RMS):: 100 W • Power Rating (Peak):: 200 W • Magnet Type: Ferrite • Shipping Weight: 3 | R500,00 |



- Speaker Accessories












| Image | Title | Attributes | Retail Price |
|---|---|------------|--------------|
|  | SKU: IMLA210-FRAME Imix Flying Frame for IMLA210-DSP View Product Online | | R3900,00 |




| | | | |
|---|---|---|---------|
|  | SKU: IMXOS1 Imix Professional Cross Over XO-S1 View Product Online | <ul style="list-style-type: none"> • Type:: 2-Way passive cross over • Frequency:: 2000Hz, LF/HF • Slope:: 12dB/octave • Protection:: HF PTC Protection/Attenuation • Impedance:: LF/ 8 Ohms, HF/ 8 Ohms | R520,00 |
|  | SKU: IMXOS2 Imix Professional Cross Over XO-S2 View Product Online | <ul style="list-style-type: none"> • Type:: 3-Way Passive Crossover • Frequency:: 2000Hz (LF/HF) • Slope: 12dB/octave • Protection:: HF PTC Protection/Attenuation • Impedance:: LF/ 8 Ohms, HF/ 8 Ohms | R675,00 |

Mixers




- Analogue mixers

| Image | Title | Attributes | Retail Price |
|---|---|---|--------------|
|  | SKU: IMSM4 Imix ISM4 4 Channel Analogue Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 4 • USB Interface: Yes • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: Yes | R600,00 |
|  | SKU: IMIX800 Imix MIX800 8 Channel Analogue Line Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 8 • USB Interface: No • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: No | R660,00 |
|  | SKU: IMM16XU Imix MX16XU Channel Analogue Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 16 • USB Interface: Yes • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: No | R4000,00 |
|  | SKU: IMEFX20 Imix i-EFX 20 Channel Analogue Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 20 • USB Interface: No • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: No | R5350,00 |
|  | SKU: IMEFX8 Imix I-EFX 8 Channel Analogue Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 8 • USB Interface: No • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: No | R3180,00 |
|  | SKU: IMEFX12 Imix i-EFX12 12 Channel Analogue Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 12 • USB Interface: Yes • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: No | R3900,00 |
|  | SKU: IMEFX16 Imix i-EFX16 Channel Analogue Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 16 • USB Interface: No • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: No | R4700,00 |

| | | | |
|---|---|--|----------|
|  | SKU: IMS12 Imix IM-S12 Signature 12 Channel Analogue Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 12 • USB Interface: Yes • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: No | R4200,00 |
|  | SKU: IMS16 Imix IM-S16 Signature 16 Channel Analogue Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 16 • USB Interface: Yes • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: No | R5500,00 |
|  | SKU: IMS22 Imix IM-S22 Signature 22 Channel Analogue Mixer View Product Online | | R7100,00 |
|  | SKU: IMMX12U Imix MX12XU 12 Channel Analogue Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 12 • USB Interface: Yes • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: No | R3300,00 |
|  | SKU: IMMX24XU Imix MX24XU 24 Channel Analogue Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 24 • USB Interface: No • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: No | R7700,00 |
|  | SKU: IMMX32XU Imix MX32XU 32 Channel Analogue Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 32 • USB Interface: No • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: No | R9500,00 |
|  | SKU: IMPMC8 Imix PMC8 8 Channel Powered Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 8 • USB Interface: Yes • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: Yes | R6760,00 |
|  | SKU: IMPMC12 Imix PMC12 12 Channel Powered Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 12 • USB Interface: No • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: No | R7400,01 |
|  | SKU: IMPMC16 Imix PMC16 16 Channel Powered Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 16 • USB Interface: Yes • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: Yes | R8000,00 |
|  | SKU: IMSM12-MIXER Imix SM12 12 Channel Analogue Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 12 • USB Interface: Yes • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: Yes | R3980,00 |
|  | SKU: IMSM16 Imix SM16 16 Channel Analogue Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 16 • USB Interface: Yes • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: Yes | R4600,00 |


| | | | |
|---|--|--|----------|
|  | SKU: IMSM20 Imix SM20 20 Channel Analogue Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 20 • USB Interface: Yes • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: Yes | R5180,00 |
|  | SKU: IMSM24 Imix SM24 24 Channel Analogue Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 24 • USB Interface: Yes • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: Yes | R6000,00 |
|  | SKU: IMSM8 Imix SM8 8 Channel Analogue Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 8 • USB Interface: Yes • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: Yes | R3400,00 |



- Powered Mixers




| Image | Title | Attributes | Retail Price |
|---|---|--|--------------|
|  | SKU: IMPMC8 Imix PMC8 8 Channel Powered Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 8 • USB Interface: Yes • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: Yes | R6760,00 |
|  | SKU: IMPMC12 Imix PMC12 12 Channel Powered Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 12 • USB Interface: No • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: No | R7400,01 |
|  | SKU: IMPMC16 Imix PMC16 16 Channel Powered Mixer View Product Online | <ul style="list-style-type: none"> • Number Of Channels: 16 • USB Interface: Yes • Built In Effects: Yes • Phantom Power: Yes • Bluetooth Connectivity: Yes | R8000,00 |

Power Amplifiers

- PA Amplifiers

| Image | Title | Attributes | Retail Price |
|---|--|---|--------------|
|  | SKU: IMI1200.4 Imix IMI1200.4 4 Channel Power Amplifier View Product Online | <ul style="list-style-type: none"> • Number of Channels: 4 • Power Output at 8 Ohms Per Channel:: 800 W • Power Output at 4 Ohms Per Channel:: 1250 W • Bridge Mode Power at 8 Ohms:: 2500 W • Impedance:: 8 Ohms • Amplifier Class:: Class H • Shipping Weight:: 25.5kg | R11000,00 |

| | | | |
|---|---|--|-----------|
|  | <p>SKU: IMX1800 Imix IMX1800 2 Channel Power Amplifier View Product Online</p> | <ul style="list-style-type: none"> • Number of Channels: 2 • Power Output at 8 Ohms Per Channel:: 600 W • Power Output at 4 Ohms Per Channel:: 1000 W • Bridge Mode Power at 8 Ohms:: 2000 W • Impedance:: 8 Ohms • Frequency Response:: 20Hz - 20Khz • Amplifier Class:: Class D • Shipping Weight:: 4.7Kg | R5200,00 |
|  | <p>SKU: IMX2400 Imix IMX2400 2 Channel Power Amplifier View Product Online</p> | <ul style="list-style-type: none"> • Number of Channels: 2 • Power Output at 8 Ohms Per Channel:: 800 W • Power Output at 4 Ohms Per Channel:: 1200 W • Bridge Mode Power at 8 Ohms:: 2350 W • Frequency Response:: 20Hz -20Khz • Amplifier Class:: Class D • Shipping Weight:: 4.7 Kg • Impedance:: 8 Ohms | R7450,00 |
|  | <p>SKU: IMX4000 Imix IMX4000 2 Channel Power Amplifier View Product Online</p> | <ul style="list-style-type: none"> • Number of Channels: 2 • Power Output at 8 Ohms Per Channel:: 1200 W • Power Output at 4 Ohms Per Channel:: 1700 W • Impedance:: 8 Ohms • Frequency Response:: 20Hz -20Khz • Amplifier Class:: Class D • Shipping Weight:: 6.5Kg | R9600,00 |
|  | <p>SKU: IMI2400 Imix I-2400 Power Amplifier View Product Online</p> | <ul style="list-style-type: none"> • Number of Channels: 2 • Power Output at 8 Ohms Per Channel:: 3000W X 2 • Power Output at 4 Ohms Per Channel:: 4400W X 2 • Impedance:: 4 ohms • Amplifier Class:: TD • Cooling Mechanism:: Advance Heat Dissipation System | R16200,00 |
|  | <p>SKU: IMI600.4 Imix I-600.4 Power Amplifier View Product Online</p> | <ul style="list-style-type: none"> • Number of Channels: 4 • Power Output at 8 Ohms Per Channel:: 600W • Power Output at 4 Ohms Per Channel:: 1000W • Impedance:: 8 Ohms • Frequency Response:: 20Hz~20KHz (+0/-1dB) • Amplifier Class:: Class D • Shipping Weight:: 2.3 Kg • Cooling Mechanism:: Advance Heat Dissipation System • Bridge Mode Power at 8 Ohms:: 1200W | R6000,00 |
|  | <p>SKU: IMI800 Imix I-800 Power Amplifier View Product Online</p> | <ul style="list-style-type: none"> • Number of Channels: 2 • Power Output at 8 Ohms Per Channel:: 800 W • Power Output at 4 Ohms Per Channel:: 1400 W • Impedance:: 8 Ohms • Frequency Response:: 20Hz~20KHz (+0/-1dB) • Amplifier Class:: D • Shipping Weight:: 2.5Kg • Bridge Mode Power at 8 Ohms:: 1600 W | R5300,00 |
|  | <p>SKU: IMKB3000 Imix KB-3000-MK3 Power Amplifier View Product Online</p> | <ul style="list-style-type: none"> • Number of Channels: 2 • Power Output at 8 Ohms Per Channel:: 400W • Power Output at 4 Ohms Per Channel:: 580 W • Bridge Mode Power at 8 Ohms:: 1160 W • Impedance:: 8 Ohms • Frequency Response:: 20 Hz- 20kHz • Amplifier Class:: Class H • Cooling Mechanism:: Advance Heat Dissipation System • Shipping Weight:: 13.5KG | R6050,00 |

| | | | |
|---|--|--|------------------|
|  | <p>SKU: IMKB4000 Imix KB-4000-MK3 Power Amplifier View Product Online</p> | <ul style="list-style-type: none"> • Number of Channels: 2 • Power Output at 8 Ohms Per Channel:: 600 W • Power Output at 4 Ohms Per Channel:: 880 W • Impedance:: 8 Ohms • Amplifier Class:: Class H • Cooling Mechanism:: Heat Sink • Shipping Weight:: 14.3 Kg • Frequency Response:: 20 Hz- 20kHz • Bridge Mode Power at 8 Ohms:: 1760W | <p>R7050,00</p> |
|  | <p>SKU: IMKB6200 Imix KB-6200-MK3 Power Amplifier View Product Online</p> | <ul style="list-style-type: none"> • Number of Channels: 2 • Power Output at 8 Ohms Per Channel:: 900W • Power Output at 4 Ohms Per Channel:: 1300W • Impedance:: 4 ohms • Amplifier Class:: H • Cooling Mechanism:: Advance Heat Dissipation System • Shipping Weight:: 20.3 Kg • Frequency Response:: 20 Hz- 20kHz • Bridge Mode Power at 8 Ohms:: 2600W | <p>R9100,00</p> |
|  | <p>SKU: IMKB9200 Imix KB-9200-MK3 Power Amplifier View Product Online</p> | <ul style="list-style-type: none"> • Number of Channels: 2 • Power Output at 8 Ohms Per Channel:: 1200W • Power Output at 4 Ohms Per Channel:: 1800W • Impedance:: 8 Ohms • Amplifier Class:: Class H • Cooling Mechanism:: Heat Sink • Shipping Weight:: 21.3Kg • Frequency Response:: 20Hz-20kHz ±0.3dB | <p>R11100,00</p> |
|  | <p>SKU: IM-MV5200 Imix MV5200-MK3 Power Amplifier View Product Online</p> | <ul style="list-style-type: none"> • Number of Channels: 2 • Power Output at 8 Ohms Per Channel:: 2000 W • Power Output at 4 Ohms Per Channel:: 3800 W • Impedance:: 8 Ohms • Frequency Response:: 20hz to 20khz • Shipping Weight:: 13 KG • Amplifier Class:: D • Bridge Mode Power at 8 Ohms:: 6800 W | <p>R20350,02</p> |
|  | <p>SKU: IM-MV6200 Imix MV6200-MK3 Power Amplifier View Product Online</p> | <ul style="list-style-type: none"> • Number of Channels: 2 • Power Output at 8 Ohms Per Channel:: 3000 W • Power Output at 4 Ohms Per Channel:: 5100 W • Impedance:: 4 ohms • Shipping Weight:: 13.5 kg • Cooling Mechanism:: Advance Heat Dissipation System • Frequency Response:: 20 Hz- 20kHz • Amplifier Class:: D • Bridge Mode Power at 8 Ohms:: 10200 W | <p>R24600,00</p> |
|  | <p>SKU: IM-MV7200 Imix MV7200-MK3 Power Amplifier View Product Online</p> | <ul style="list-style-type: none"> • Number of Channels: 2 • Power Output at 8 Ohms Per Channel:: 3500 W • Power Output at 4 Ohms Per Channel:: 6500 W • Impedance:: 4 ohms • Cooling Mechanism:: Tunnel Through Cooling System • Frequency Response:: 20 Hz- 20kHz • Shipping Weight:: 13.5 kg • Amplifier Class:: D • Bridge Mode Power at 8 Ohms:: 13000 W | <p>R26200,00</p> |
|  | <p>SKU: IM-MV8200 Imix MV8200-MK3 Power Amplifier View Product Online</p> | <ul style="list-style-type: none"> • Number of Channels: 2 • Power Output at 8 Ohms Per Channel:: 4200 W • Power Output at 4 Ohms Per Channel:: 7800 W • Impedance:: 4 ohms • Cooling Mechanism:: Tunnel Through Cooling System • Frequency Response:: 20 Hz- 20kHz • Shipping Weight:: 13.5 kg • Amplifier Class:: D • Bridge Mode Power at 8 Ohms:: 15600 W | <p>R28000,00</p> |











- Amplifiers (70v/100v Amplifiers)

| Image | Title | Attributes | Retail Price |
|---|--|---|--------------|
|  | SKU: IMPD-120 Imix PD-120 120W Public Address Amplifier View Product Online | <ul style="list-style-type: none"> • Power Rating: 120 W • Microphone Inputs: 3 (2 x 6.35mm Jacks, 1 XLR) • Bluetooth Capable: Yes • FM Capable: Yes • Effects: Yes • USB Port: USB, SD/MMD Card Reader • Shipping Weight: 2KG | R2800,00 |
|  | SKU: IMPD-180 Imix PD-180 180W Public Address Amplifier View Product Online | <ul style="list-style-type: none"> • Power Rating: 180 • Microphone Inputs: 3 (2 x 6.35mm Jacks, 1 XLR) • Bluetooth Capable: Yes • FM Capable: Yes • Effects: Yes • USB Port: USB, SD/MMD Card Reader • Shipping Weight: 2KG | R3260,00 |
|  | SKU: IMPD-240 Imix PD-240 240W Public Address Amplifier View Product Online | <ul style="list-style-type: none"> • Power Rating: 240 W • Microphone Inputs: 3 (2 x 6.35mm Jacks, 1 XLR) • Bluetooth Capable: Yes • FM Capable: Yes • Effects: Yes • USB Port: USB, SD/MMD Card Reader • Shipping Weight: 2.5KG | R3900,00 |
|  | SKU: IMPD-30C Imix PD-30C 30W Public Address Amplifier View Product Online | <ul style="list-style-type: none"> • Power Rating: 30 W • Microphone Inputs: 2 • Bluetooth Capable: No • FM Capable: No • Effects: None • USB Port: USB, SD/MMD Card Reader • Shipping Weight: 1.5KG | R1010,00 |
|  | SKU: IMPD-350 Imix PD-350 350W Public Address Amplifier View Product Online | <ul style="list-style-type: none"> • Power Rating: 350w • Microphone Inputs: 3 (2 x 6.35mm Jacks, 1 XLR) • Bluetooth Capable: Yes • FM Capable: Yes • Effects: Yes • USB Port: USB, SD/MMD Card Reader • Shipping Weight: 2.5KG | R4800,00 |
|  | SKU: IMPD-500 Imix PD-500 500W Public Address Amplifier View Product Online | <ul style="list-style-type: none"> • Power Rating: 700w • Microphone Inputs: 3 (2 x 6.35mm Jacks, 1 XLR) • Bluetooth Capable: Yes • FM Capable: Yes • Effects: Yes • USB Port: USB, SD/MMD Card Reader • Shipping Weight: 3KG | R5800,00 |
|  | SKU: IMPD-700 Imix PD-700 700W Public Address Amplifier View Product Online | <ul style="list-style-type: none"> • Power Rating: 700w • Microphone Inputs: 3 • Bluetooth Capable: No • FM Capable: Yes • Effects: Yes • USB Port: USB, SD/MMD Card Reader • Shipping Weight: 3KG | R6550,00 |



Microphones

- Wireless Mics


| Image | Title | Attributes | Retail Price |
|-------|-------|------------|--------------|
|-------|-------|------------|--------------|









| | | | |
|---|--|--|----------|
|  | SKU: IMC-2000 Imix IMC-2000 Wireless Microphones View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Signal To Noise Ratio: >98 dB • Frequency Response: 75 Hz to 20 kHz • Case: Yes | R900,00 |
|  | SKU: IMC3001 Imix IMC3001 Dual Wireless Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wireless • Range: 100m • Operating Frequency Range: UHF 530~930 MHz* oscillation mode: PII • Number Of Channels: 2 • Frequency Response: 20Hz -20Khz • Case: Yes | R980,00 |
|  | SKU: IMC3002 Imix IMC3002 UHF Wireless Microphones Pair View Product Online | <ul style="list-style-type: none"> • Connectivity: Wireless • Range: 150m • Operating Frequency Range: 500-980Nhz • Number Of Channels: 4 • Signal To Noise Ratio: >98 dB • Frequency Response: 75Hz - 18Khz • Case: Yes | R1000,00 |
|  | Imix IMHF-TD1 Dual Digital Wireless Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wireless • Range: 150 m • Operating Frequency Range: 500-690MHz • Frequency Response: 80Hz - 18Khz • Case: Yes | R6600,00 |
|  | SKU: IMHF-TD2 Imix IMHF-TD2 Dual Digital Wireless Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wireless • Range: 150 m • Operating Frequency Range: 500 - 690 Mhz • Frequency Response: 80Hz - 18Khz • Case: Yes | R4220,00 |
|  | SKU: IMK3300 Imix IMK3300 MK3 ,UHF Adjustable Frequency Wireless Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wireless • Range: 120 m • Number Of Channels: 2 • Case: Yes • Operating Frequency Range: UHF 530~930 MHz | R1900,00 |
|  | SKU: IMK9000 Imix IMK9000 UHF Adjustable Frequency Wireless Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wireless • Range: 100m • Operating Frequency Range: 530~930 MHz • Case: Yes | R2250,00 |
|  | SKU: IMPD-BASE Imix IMPD-BASE Base for Gooseneck Microphones View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Frequency Response: 20 Hz to 20 kHz • Case: Yes | R450,00 |
|  | SKU: IMC2288C Imix MC2288C Chairman Conference Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Frequency Response: 40Hz - 16Khz • Case: Yes | R950,00 |
|  | SKU: IMC2288D Imix MC2288D Delegate Conference Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Frequency Response: 40Hz - 16Khz • Case: Yes | R950,00 |

| | | | |
|---|---|---|-----------|
|  | <p>SKU: IMMIC-COMBO Imix IMMIC Wireless Microphone Combo</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Connectivity: Wireless • Operating Frequency Range: 740-790 • Number Of Channels: 4*100ch • Signal To Noise Ratio: >105db • Frequency Response: 80Hz-180KHz±3db • Case: Yes | R19000,00 |
|  | <p>SKU: IMK60 Imix K-60 Wireless Microphone</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Connectivity: Wireless • Operating Frequency Range: 740-790 • Number Of Channels: 2*100ch • Signal To Noise Ratio: >100db • Frequency Response: 50Hz-15KHz • Case: No | R1200,00 |
|  | <p>SKU: IMK7000 Imix K-7000 UHF Dual Wireless Microphone</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Connectivity: Wireless • Case: Yes • Range: 150m • Operating Frequency Range: UHF 640~690 MHz • Number Of Channels: 2 • Signal To Noise Ratio: >50dB • Frequency Response: 100Hz~300Hz | R1850,00 |
|  | <p>SKU: IMK8008 Imix K-8008 MK2 8 Channel Wireless Microphone Receiver Unit</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Connectivity: Wireless • Operating Frequency Range: 740-790 • Number Of Channels: 8*25ch • Signal To Noise Ratio: >105db • Frequency Response: 80Hz-180KHz±3db • Case: Yes | R5200,00 |
|  | <p>SKU: IMK8008C Imix K-8008 Wireless Conference Microphone</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Connectivity: Wireless • Number Of Channels: 1 • Case: Yes | R700,00 |
|  | <p>SKU: IMK8008H Imix K-8008H MK2 Wireless Microphone</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Connectivity: Wireless • Operating Frequency Range: 740-790 • Number Of Channels: 8*25ch • Signal To Noise Ratio: >105db • Frequency Response: 80Hz-180KHz±3db • Case: No | R640,00 |
|  | <p>SKU: IMK8008L Imix K-8008L MK2 Wireless Lapel Microphone</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Connectivity: Wireless • Case: Yes | R710,00 |
|  | <p>SKU: IMK9004 Imix K-9004 4 Channel Wireless Microphone</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Connectivity: Wireless • Operating Frequency Range: 740-790 • Number Of Channels: 4*50ch • Signal To Noise Ratio: >105db • Frequency Response: 80Hz-180KHz±3db • Case: No | R3700,00 |
|  | <p>SKU: IMK-X1 Imix K-X1 2 Channel Wireless Microphone</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Connectivity: Wireless • Operating Frequency Range: 740-790 • Number Of Channels: 2*100ch • Signal To Noise Ratio: >105db • Frequency Response: 80Hz-180KHz±3db • Case: No | R5900,00 |
|  | <p>SKU: IMK-X4 Imix K-X4 4 Channel Wireless Microphone</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Connectivity: Wireless • Operating Frequency Range: 740-790 • Number Of Channels: 4*50ch • Signal To Noise Ratio: >105db • Frequency Response: 80Hz-180KHz±3db • Case: No | R5550,00 |

| | | | |
|---|--|--|----------|
|  | SKU: IMC3003 Imix MC-3003 Wireless Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wireless • Case: No • Operating Frequency Range: 740-790 • Number Of Channels: 2*48ch • Signal To Noise Ratio: >100db • Frequency Response: 50Hz-15KHz | R1100,00 |
|  | SKU: IMCDF101 Imix MC-DF101 Wired Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wireless • Operating Frequency Range: 740-790 • Number Of Channels: Fixed Frequency • Signal To Noise Ratio: >100db • Frequency Response: 50Hz-15KHz • Case: Yes | R1350,00 |


- Wired Mics

| Image | Title | Attributes | Retail Price |
|---|--|---|--------------|
|  | SKU: IMBMU800 Imix BM-U800 USB Condenser Microphone Set View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Signal To Noise Ratio: 78 dB • Frequency Response: 20 to 20,000 Hz • Case: Yes | R500,00 |
|  | SKU: IMC201 Imix IMC201 Vocal and Instrument Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Frequency Response: 20Hz - 20Khz • Case: Yes | R180,00 |
|  | SKU: IMC840 Imix IMC840 USB Desk Condenser Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Frequency Response: 20Hz - 20Khz • Case: Yes | R1450,00 |
|  | SKU: IMD-431 Imix IMD-431 Wired Dynamic Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Frequency Response: 20 Hz to 20 kHz • Case: Yes | R315,00 |
|  | SKU: IMMJC-1 Imix IMMJC-1 Wired Lapel Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Frequency Response: 20 Hz to 20 kHz • Case: No | R560,00 |
|  | SKU: IMPA-MIC Imix IMPA-MIC Gooseneck Public Address Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Frequency Response: 20 Hz to 20 kHz • Case: No | R450,00 |
|  | SKU: IMPD-MIC-1 Imix IMPD-MIC-1 Gooseneck Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Case: Yes | R640,00 |





| | | | |
|---|---|---|----------|
|  | SKU: IMX8 Imix IMX8 Microphone Sound Card Combo View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Frequency Response: 20Hz–20kHz • Case: Yes | R1700,00 |
|  | SKU: IMC100 Imix MC-100 MK2 Handheld Microphone - 3 Pack View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Case: Yes | R530,00 |
|  | SKU: IMC6002 Imix MC-6002 Rock Style Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Case: Yes | R2500,00 |
|  | Imix MC2288 Wireless Conference System View Product Online | <ul style="list-style-type: none"> • Connectivity: Wireless • Case: Yes | R360,00 |
|  | SKU: IMC2288C Imix MC2288C Chairman Conference Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Frequency Response: 40Hz - 16Khz • Case: Yes | R950,00 |
|  | SKU: IMC2288D Imix MC2288D Delegate Conference Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Frequency Response: 40Hz - 16Khz • Case: Yes | R950,00 |
|  | SKU: IMN1 IMIX N1 Professional Condenser Microphone View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Signal To Noise Ratio: 82dB • Frequency Response: 20Hz-20kHz • Case: Yes | R1800,01 |
|  | SKU: IMC2288 Imix MC2288 Wireless Conference Microphone Control Unit View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Case: Yes • Frequency Response: 40Hz - 16Khz | R2500,00 |

- Instrument Mics



| Image | Title | Attributes | Retail Price |
|---|--|------------|--------------|
|  | SKU: IMDM7003 Imix IMDM7003 7 Piece Drum Microphone Set View Product Online | | R2000,00 |
|  | SKU: IMDM7002 Imix Drum Microphone Dm-7002 View Product Online | | R1750,00 |


| | | | |
|---|---|--|----------|
|  | SKU: IMDM7001 Imix DM-7001 Dynamic 7 Piece Drum Microphone Set View Product Online | | R2900,00 |
|  | SKU: IMJM7 JD Percussion 7 Piece Drum Mic Set View Product Online | | R2600,00 |

- Microphone Accessories

| Image | Title | Attributes | Retail Price |
|---|---|------------|--------------|
|  | SKU: IMUA855 Imix UA-855 Frequency Booster For Wireless Mics View Product Online | | R6100,00 |
|  | SKU: IMB01 5 Piece Colourful Handheld Mic Covers View Product Online | | R170,00 |
|  | SKU: H2 Imix Mic Holder View Product Online | | R50,00 |
|  | SKU: IMSP340 Imix Pop Filter View Product Online | | R100,00 |

Public Address


| Image | Title | Attributes | Retail Price |
|---|---|---|--------------|
|  | SKU: IMCS6 Imix CS6 6" 10-20 W Coaxial Ceiling Speaker View Product Online | <ul style="list-style-type: none"> • Power: 10-20 W • Water Proof: No | R550,00 |
|  | SKU: IMCS6.5-1 Imix CS6.5 Ceiling Speaker View Product Online | <ul style="list-style-type: none"> • Power: 3-6 W • Water Proof: No | R160,00 |

| | | | |
|---|---|--|----------|
|  | <p>SKU: IMCS6.5T Imix CS6.5T 6.5" 10-30 W Ceiling Speaker View Product Online</p> | <ul style="list-style-type: none"> • Power: 10-30 W • Water Proof: No | R450,00 |
|  | <p>SKU: IMRS-6 Imix RS-6 6" Ceiling Speaker View Product Online</p> | <ul style="list-style-type: none"> • Power: 3 - 6W • Water Proof: No | R150,01 |
|  | <p>SKU: IMRS-8 Imix RS-8 8" 3-6W Ceiling Speaker View Product Online</p> | <ul style="list-style-type: none"> • Power: 3-6 W • Water Proof: No | R175,01 |
|  | <p>SKU: IMRS-8T Imix RS-8T 8" 10-30W Coaxial Ceiling Speaker View Product Online</p> | <ul style="list-style-type: none"> • Power: 10-30 W • Water Proof: No | R640,00 |
|  | <p>SKU: IMH50 Imix H50 All Weather Horn Speaker View Product Online</p> | <ul style="list-style-type: none"> • Power: 25w/50w • Water Proof: Yes • Sensitivity: 91 ± 3dB • Frequency Response: 300-8000 Hz | R680,00 |
|  | <p>SKU: IMH60 Imix H60 Public Address System View Product Online</p> | <ul style="list-style-type: none"> • Power: 30w/60w • Water Proof: Yes | R2300,00 |
|  | <p>SKU: IMWM-6-B Imix IMWM-6-B 6" Black Wall Mount Speaker 30W View Product Online</p> | <ul style="list-style-type: none"> • Power: 3.75-30 W • Sensitivity: 92 dB • Frequency Response: 40Hz - 16Khz • Water Proof: No | R820,00 |
|  | <p>SKU: IMWM6-W Imix IMWM6-W 6" White Wall Mount Speaker 30W View Product Online</p> | <ul style="list-style-type: none"> • Power: 3,75-30W • Sensitivity: 92 dB • Frequency Response: 40Hz -16Khz • Water Proof: No | R820,00 |
|  | <p>SKU: IMWM8-B Imix IMWM8-B 8" Black Wall Mount Speaker 30W View Product Online</p> | <ul style="list-style-type: none"> • Power: 3.75-30 W • Sensitivity: 92 dB • Frequency Response: 40Hz - 16Khz • Water Proof: No | R1630,00 |
|  | <p>SKU: IMWM8-W Imix IMWM8-W 8" White Wall Mount Speaker 30W View Product Online</p> | <ul style="list-style-type: none"> • Power: 3,75-30W • Sensitivity: 92 dB • Frequency Response: 40Hz -16Khz • Water Proof: No | R1630,00 |



| | | | |
|---|--|---|----------|
|  | SKU: IMPD-120 Imix PD-120 120W Public Address Amplifier View Product Online | <ul style="list-style-type: none"> • Power Rating: 120 W • Microphone Inputs: 3 (2 x 6.35mm Jacks, 1 XLR) • Bluetooth Capable: Yes • FM Capable: Yes • Effects: Yes • USB Port: USB, SD/MMD Card Reader • Shipping Weight: 2KG | R2800,00 |
|  | SKU: IMPD-180 Imix PD-180 180W Public Address Amplifier View Product Online | <ul style="list-style-type: none"> • Power Rating: 180 • Microphone Inputs: 3 (2 x 6.35mm Jacks, 1 XLR) • Bluetooth Capable: Yes • FM Capable: Yes • Effects: Yes • USB Port: USB, SD/MMD Card Reader • Shipping Weight: 2KG | R3260,00 |
|  | SKU: IMPD-240 Imix PD-240 240W Public Address Amplifier View Product Online | <ul style="list-style-type: none"> • Power Rating: 240 W • Microphone Inputs: 3 (2 x 6.35mm Jacks, 1 XLR) • Bluetooth Capable: Yes • FM Capable: Yes • Effects: Yes • USB Port: USB, SD/MMD Card Reader • Shipping Weight: 2.5KG | R3900,00 |
|  | SKU: IMPD-30C Imix PD-30C 30W Public Address Amplifier View Product Online | <ul style="list-style-type: none"> • Power Rating: 30 W • Microphone Inputs: 2 • Bluetooth Capable: No • FM Capable: No • Effects: None • USB Port: USB, SD/MMD Card Reader • Shipping Weight: 1.5KG | R1010,00 |
|  | SKU: IMPD-350 Imix PD-350 350W Public Address Amplifier View Product Online | <ul style="list-style-type: none"> • Power Rating: 350w • Microphone Inputs: 3 (2 x 6.35mm Jacks, 1 XLR) • Bluetooth Capable: Yes • FM Capable: Yes • Effects: Yes • USB Port: USB, SD/MMD Card Reader • Shipping Weight: 2.5KG | R4800,00 |
|  | SKU: IMPD-500 Imix PD-500 500W Public Address Amplifier View Product Online | <ul style="list-style-type: none"> • Power Rating: 700w • Microphone Inputs: 3 (2 x 6.35mm Jacks, 1 XLR) • Bluetooth Capable: Yes • FM Capable: Yes • Effects: Yes • USB Port: USB, SD/MMD Card Reader • Shipping Weight: 3KG | R5800,00 |
|  | SKU: IMPD-700 Imix PD-700 700W Public Address Amplifier View Product Online | <ul style="list-style-type: none"> • Power Rating: 700w • Microphone Inputs: 3 • Bluetooth Capable: No • FM Capable: Yes • Effects: Yes • USB Port: USB, SD/MMD Card Reader • Shipping Weight: 3KG | R6550,00 |

Conference

- Wireless Conference Solutions


| Image | Title | Attributes | Retail Price |
|---|---|--|--------------|
|  | SKU: IMC2288 Imix MC2288 Wireless Conference Microphone Control Unit View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Case: Yes • Frequency Response: 40Hz - 16Khz | R2500,00 |

- Wired Conference Solutions



| Image | Title | Attributes | Retail Price |
|---|--|--|--------------|
|  | Imix MC2288 Wireless Conference System View Product Online | <ul style="list-style-type: none"> • Connectivity: Wireless • Case: Yes | R360,00 |
|  | SKU: IMC2288 Imix MC2288 Wireless Conference Microphone Control Unit View Product Online | <ul style="list-style-type: none"> • Connectivity: Wired • Case: Yes • Frequency Response: 40Hz - 16Khz | R2500,00 |

Audio Effects and Signal Processors

- Crossovers




| Image | Title | Attributes | Retail Price |
|--|--|--|--------------|
|  | SKU: IMXO234XL Imix XO-234XL Crossover View Product Online | <ul style="list-style-type: none"> • Input:: AC 220V • Modes:: 2-Way Stereo, 3-Way Mono • Configuration:: 3-Way + Subwoofer | R1450,00 |

- Digital Feedback Destroyers

| Image | Title | Attributes | Retail Price |
|---|--|---|--------------|
|  | SKU: IMDFS01 Imix IMDFS01 Feedback Destroyer View Product Online | <ul style="list-style-type: none"> • Sampling Frequency:: 32 kHz • Frequency Response:: 125 Hz – 15 kHz (Voice Mode), 20 Hz – 15 kHz (Music Mode) • Distortion:: <0.1% @ 1 kHz • SNR (Signal-to-Noise Ratio):: >90 dB • Input Impedance (Balanced):: 200 ? | R5200,00 |
|  | SKU: IMDFS02 Imix IMDFS02 Feedback Destroyer View Product Online | <ul style="list-style-type: none"> • Sampling Frequency:: 32 kHz • Frequency Response:: 125 Hz – 15 kHz (Voice Mode), 20 Hz – 15 kHz (Music Mode) • Distortion:: <0.1% @ 1 kHz • SNR (Signal-to-Noise Ratio):: >90 dB • Input Impedance (Balanced):: 200 ? • Output Impedance:: >90 dB | R7200,00 |



- Digital Signal Processor

| Image | Title | Attributes | Retail Price |
|-------|-------|------------|--------------|
|-------|-------|------------|--------------|

| | | | |
|---|--|---|-----------------|
|  | <p>SKU: IM260 Imix IM-260 Digital Signal Processor</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • D/A conversion:: 24-bit, 48k A/D D/A conversion for high-fidelity audio • Processing:: Dynamic processing including gain, phase reversal, equalizer, compressor, and noise gate. • Filters:: High/Low-pass filters (-6dB to -48dB) with Butterworth, Linkwitz-Riley, and Bessel options • Limiter: Auto-limiter & noise gate for precise signal control • Inputs / Outputs: Two-channel electronic balanced inputs & six-channel outputs • Connection Types:: XLR balanced connectors & RS-485 control compatibility | <p>R6850,00</p> |
|  | <p>SKU: IMPA Imix IM-PA Digital Signal Processor</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Feedback Elimination:: Stereo Feedback Elimination (12-notch filters) • Graphic EQ:: Dual 28-band Graphic EQ & Multi-band Parametric EQ • Compressor:: Compressor & 120A Sub-harmonic Synthesizer • Crossovers:: Configurable Crossovers (2x3, 2x4, 2x5, 2x6) • Setup Wizard:: Speaker & Power Amp Tunings with Setup Wizard • Programs: 25 User & 25 Factory Programs • Inputs / Outputs: 2 XLR Inputs & 6 XLR Outputs • ADC/DAC: 24-Bit ADC/DAC, >110 dB Dynamic Range • LCD Display:: Full Graphic LCD Display & TypeIV Conversion System | <p>R5200,00</p> |
|  | <p>SKU: IM480 Imix IM480 Digital Signal Processor</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Digital Processing:: Gain control, phase reversal, noise gate, equalization, slope filters, dynamic filtering, frequency division, delay, compression, and signal routing functions. • Output Control:: Output limiters, compressors, parametric equalizers (30-segment input, 7-segment output), and adjustable gain (-18dB to +12dB). • Filters:: High-pass (low-cut) and low-pass (high-cut) filters with selectable Butterworth, Linkwitz-Riley, and Bessel 12dB variable Q value options. • Noise Gate & Compression:: Adjustable threshold values, startup time, and release time for precise dynamic control. | <p>R7700,00</p> |


Power & Signal Management

- Power Sequencers

| Image | Title | Attributes | Retail Price |
|---|--|--|-----------------|
|  | <p>SKU: IMPS71MKII Imix PS-71 MK 2 Power Stabiliser</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Input Power:: 100-240V, 50-60Hz • Control Capacity:: 30A maximum per channel • Output Channels:: 8 independent outputs • Power-On Delay:: 1-second sequencing interval between channels | <p>R1900,00</p> |
|  | <p>SKU: IMPS71 Imix PS-71 Power Sequencer Stabiliser</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Input Power:: 100-240V, 50-60Hz • Control Capacity:: 30A maximum per channel • Output Channels:: 8 independent outputs • Power-On Delay:: 1-second sequencing interval between channels | <p>R1600,00</p> |

Headphones & Headphone Amps


- Headphone Amps

| Image | Title | Attributes | Retail Price |
|---|--|------------|--------------|
|  | <p>SKU: IMHP4</p> <p>Imix IMHP4 Headphone Amplifier</p> <p>View Product Online</p> | | R1060,00 |





Lighting and Effects

- Lasers



| Image | Title | Attributes | Retail Price |
|---|---|--|--------------|
|  | <p>SKU: IM020RG8</p> <p>Imix 020RGB RG8 Laser Light</p> <p>View Product Online</p> | <ul style="list-style-type: none">• Features: RGB Laser Technology: Enjoy a full spectrum of colors with red, green, and blue laser beams that can be combined to create endless lighting possibilities. Built-In Microphone: The integrated mic enables sound-activated mode, where the laser patterns sync to the beat of your music. | R550,00 |
|  | <p>SKU: IM153B</p> <p>Imix 153B Laser Blue Light</p> <p>View Product Online</p> | <ul style="list-style-type: none">• Features: DMX In/Out Connectivity, Built-In Microphone, ompact and Portable Design: Lightweight and easy to set up. | R980,00 |
|  | <p>SKU: IM018RG</p> <p>Imix 18RG Water Laser Light Red/Green</p> <p>View Product Online</p> | <ul style="list-style-type: none">• Features: Dual-Color Laser Beams, Water-Like Effects, DMX In/Out Connectivity, Built-In Microphone | R1188,30 |
|  | <p>SKU: im016RG</p> <p>Imix IM016RG Red/Green Laser Light</p> <p>View Product Online</p> | <ul style="list-style-type: none">• Features: Dual-Color Laser Beams, DMX In/Out Connectivity, Built-In Microphone | N/A |
|  | <p>SKU: IM01G3D</p> <p>Imix IM01G3D 3D Green Laser Light</p> <p>View Product Online</p> | <ul style="list-style-type: none">• Features: 3D Single Beam Laser Effect, DMX In/Out Connectivity, Built-In Microphone: The integrated mic enables sound-activated mode, where the laser beams sync to the rhythm of your music, making it perfect for parties, clubs, concerts, and live events. | R1750,20 |
|  | <p>SKU: IM234G</p> <p>Imix IM234G Green Laser Light</p> <p>View Product Online</p> | <ul style="list-style-type: none">• Features: Animated Cartoon Characters: Watch as beloved cartoon characters come alive in vibrant green, Multiple Animation Patterns: Enjoy a variety of animated scenes and patterns that rotate automatically, keeping the display dynamic and engaging. Compact and Portable: Lightweight and easy to set up | R980,00 |

| | | | |
|---|--|---|---------|
|  | SKU: IM235PI Imix IM235PI Red Laser Light View Product Online | <ul style="list-style-type: none"> • Features: Vivid Red Animated Patterns: Enjoy a variety of eye-catching animated designs projected in vibrant red light, adding energy and excitement to any environment. SD card compatibility, DMX in/out connectivity, and built-in microphone. | R980,00 |
|---|--|---|---------|

- Spotlights


| Image | Title | Attributes | Retail Price |
|---|--|------------|--------------|
|  | SKU: IMLED-PAR64-P Imix PAR64-P 20W LED Par Light View Product Online | | R910,00 |
|  | SKU: IMLED-PAR64-UV Imix PAR64-UV 80W LED Par Light View Product Online | | R1250,00 |
|  | SKU: IMLED-PAR70W Imix LED-PAR-70W Light View Product Online | | R1150,00 |
|  | SKU: IMLEDPAR30W Imix PAR30 30W LED Par Light View Product Online | | R450,00 |

- Moving Heads




| Image | Title | Attributes | Retail Price |
|---|--|---|--------------|
|  | SKU: MOVING200BL Mini LED Moving Head Laser View Product Online | <ul style="list-style-type: none"> • Light Type: Laser • Power Rating: 94 W | R4350,00 |
|  | SKU: MOVING200S Mini LED Moving Head-Gobos View Product Online | <ul style="list-style-type: none"> • Light Type: Laser • Power Rating: 80 W | R5289,41 |

- GOBO Lights






| Image | Title | Attributes | Retail Price |
|-------|-------|------------|--------------|
|-------|-------|------------|--------------|






| | | | |
|---|---|---|----------|
|  | SKU: MOVING200S Mini LED Moving Head-Gobos View Product Online | <ul style="list-style-type: none"> • Light Type: Laser • Power Rating: 80 W | R5289,41 |
|---|---|---|----------|

- Visual Effects Machines


| Image | Title | Attributes | Retail Price |
|---|--|------------|--------------|
|  | SKU: IMBUBBLE01 Imix Bubble/01 Bubble Machine View Product Online | | R400,00 |
|  | SKU: Im Fog-1200 Imix Fog-1200 Fog Machine View Product Online | | R1680,00 |
|  | SKU: Im Fog-500 Imix Fog-500 Fog Machine View Product Online | | R1010,00 |

- Liquids and Consumables

| Image | Title | Attributes | Retail Price |
|---|--|--|--------------|
|  | SKU: 5L/Smoke/M Afrosmoke 5L Medium Density Smoke Liquid View Product Online | | R380,00 |
|  | SKU: 20L-SMOKE-M Afrosmoke Medium Density Smoke Fluid (20L) View Product Online | | R1310,00 |
|  | SKU: IMFOG1L Imix High Quality Fog Liquid (1L) View Product Online | <ul style="list-style-type: none"> • Flavors: Vanilla, Strawberry | R130,00 |
|  | SKU: 20L-BUBBLE SFAT Afrosmoke Bubble Liquid (20L) View Product Online | | R1280,00 |
|  | SKU: 5L-BUBBLE SFAT Afrosmoke Bubble Liquid (5L) View Product Online | | R360,00 |



| | | | |
|---|---|--|----------|
|  | SKU: CLEANER-FLUID-5L SFAT Afrosmoke Cleaner Liquid (5L) View Product Online | | R265,00 |
|  | SKU: 5L-SMOKE-H SFAT Afrosmoke High Density Smoke Fluid (5L) View Product Online | | R460,00 |
|  | SKU: 20L-SMOKE-H SFAT Afrosmoke High Density Smoke Liquid (20L) View Product Online | | R1620,00 |
|  | SKU: 20L-SMOKE-L SFAT Afrosmoke Light Density Smoke Liquid (20L) View Product Online | | R1110,00 |
|  | SKU: LOWFOG-20L SFAT Afrosmoke Low Smoke Liquid (20L) View Product Online | | R950,00 |

- LED Lights



| Image | Title | Attributes | Retail Price |
|---|---|---|--------------|
|  | SKU: IMDERBYSS1 Led Mushroom Light View Product Online | <ul style="list-style-type: none"> • Light Configuration: 6 x 3W RGB-colour LEDs • Light Type: LED • Power Rating: 20W | R200,00 |

Acoustic Treatments




- Isolation Shields

| Image | Title | Attributes | Retail Price |
|---|---|------------|--------------|
|  | SKU: IMBM203 Imix IMBM203 Way Isolation Sheild View Product Online | | R550,00 |
|  | SKU: IMBM303 Imix IMBM303 3 Way Isolation Sheild View Product Online | | R820,00 |

- Bass Traps


| Image | Title | Attributes | Retail Price |
|---|--|--|--------------|
|  | SKU: IMBT5030 Imix Bass Trap Block View Product Online | <ul style="list-style-type: none"> Materials: Sponge Size(mm): Size(mm): 300 x 300 x 300 | R280,00 |
|  | SKU: IMBT50530 Imix Bass Trap Unit View Product Online | <ul style="list-style-type: none"> Materials: Sponge Size(mm): Size(mm): 300 x 300 x 500 | R330,00 |

- Diffusors

| Image | Title | Attributes | Retail Price |
|---|--|--|--------------|
|  | SKU: IMAS5050-50 Imix Absorption Unit View Product Online | <ul style="list-style-type: none"> Materials: Sponge Size(mm): Size(mm): 500 x 550 x 50 Colours: Blue, Green, Yellow, Black | R420,00 |
|  | SKU: IMDU-5050-80 Imix Diffusion Unit DU-5050-80 View Product Online | <ul style="list-style-type: none"> Materials: Sponge Size(mm): Size(mm): 500 x 550 x 80 | R240,00 |
|  | SKU: IMDU5050-50 Imix Sound Diffusion Unit View Product Online | <ul style="list-style-type: none"> Materials: Sponge Size(mm): Size(mm): 500 x 550 x 50 Colours: Blue, Green, Yellow, Black | R120,00 |


Stage and Trussing

- Stage Boards


| Image | Title | Attributes | Retail Price |
|---|--|--|--------------|
|  | SKU: IMS100-200-30 Disassembly Stage View Product Online | <ul style="list-style-type: none"> Material: Aluminium Size / Dimensions: 200 cm x 100 | R6900,00 |

- Stage Stairs

| Image | Title | Attributes | Retail Price |
|-------|-------|------------|--------------|
|-------|-------|------------|--------------|

| | | | |
|---|--|---|-----------|
|  | SKU: IMS-STAIRS Disassembly Aluminum Stage Stairs View Product Online | <ul style="list-style-type: none"> Material: Aluminium Size / Dimensions: L 100cm | R15000,00 |
|---|--|---|-----------|


- Stage Legs

| Image | Title | Attributes | Retail Price |
|---|--|---|--------------|
|  | SKU: IMSLEG-60-100-4 Aluminum Adjustable Legs Set (4) View Product Online | <ul style="list-style-type: none"> Material: Aluminium Size / Dimensions: Aluminum Adjustable Stage Legs (60cm - 100cm) | R2250,00 |
|  | SKU: IMS-LEGS600-1M Aluminum Adjustable Stage Leg (1) View Product Online | <ul style="list-style-type: none"> Material: Aluminium | R560,00 |

- Stage Accessories

| Image | Title | Attributes | Retail Price |
|---|---|---|--------------|
|  | SKU: IMPJX2001 Aluminum Stability Bar For Lights View Product Online | <ul style="list-style-type: none"> Material: Aluminium | R4100,00 |
|  | SKU: IMSBRACE-2 Stage Brace - 2 way join View Product Online | | R385,00 |
|  | SKU: IMSBRACE-4 Stage Brace - 4 way join View Product Online | | R570,00 |


- Crowd Barriers


| Image | Title | Attributes | Retail Price |
|---|--|--|--------------|
|  | SKU: IMTS-BARRIER Imix IMTS-BARRIER Aluminium Crowd Control Barrier View Product Online | <ul style="list-style-type: none"> Material: Aluminium Size / Dimensions: 100 x137 x 129 | R8900,00 |

- Trussing (Square, Triangular)



| Image | Title | Attributes | Retail Price |
|---|--|--|--------------|
|  | SKU: IMTS294-500 Aluminum Square Truss 0.5m View Product Online | <ul style="list-style-type: none"> Material: Aluminium Shape / Design: Square Size / Dimensions: 0.5m | R1600,00 |
|  | SKU: IMTS294-1000 Aluminum Square Truss 1m View Product Online | <ul style="list-style-type: none"> Material: Aluminium Shape / Design: Square Size / Dimensions: 1m | R2583,98 |
|  | SKU: IMTS404-1000 Aluminum Square Truss 1m - 400mm x 400mm View Product Online | <ul style="list-style-type: none"> Material: Aluminium Shape / Design: Square Size / Dimensions: 1m | R4665,81 |
|  | SKU: IMTS294-2000 Aluminum Square Truss 2m View Product Online | <ul style="list-style-type: none"> Material: Aluminium Shape / Design: Square Size / Dimensions: 2m | R4620,00 |
|  | SKU: IMTS404-2000 Aluminum Square Truss 2m - 400mm x 400mm View Product Online | <ul style="list-style-type: none"> Material: Aluminium Shape / Design: Square Size / Dimensions: 2m | R8527,53 |
|  | SKU: IMTS294-3000 Aluminum Square Truss 3m View Product Online | <ul style="list-style-type: none"> Material: Aluminium | R6364,95 |
|  | SKU: IMTS404-3000 Aluminum Square Truss 3m - 400mm x 400mm View Product Online | <ul style="list-style-type: none"> Material: Aluminium Shape / Design: Square Size / Dimensions: 3m | R12386,61 |
|  | SKU: IMTS293-3000 Aluminum Triangular Truss 3m View Product Online | <ul style="list-style-type: none"> Material: Aluminium Shape / Design: Triangular Size / Dimensions: 3m | R6526,58 |

- Trussing Corners



| Image | Title | Attributes | Retail Price |
|---|--|---|--------------|
|  | SKU: IMTS294-L500 Aluminium 2 Way Truss Corner View Product Online | <ul style="list-style-type: none"> Material: Aluminium | R1600,00 |

| | | | |
|---|--|---|----------|
|  | SKU: IMTS-3-CORNER Aluminium 3 Way Truss Corner View Product Online | <ul style="list-style-type: none"> Material: Aluminium | R3170,00 |
|---|--|---|----------|



- Trussing Base Plates









| Image | Title | Attributes | Retail Price |
|---|--|---|--------------|
|  | SKU: IMTS294-BASE5050 Aluminium Square Base 500 x 500 x 10 mm View Product Online | <ul style="list-style-type: none"> Material: Aluminium | R2585,00 |
|  | SKU: TS294-BASE5050 Aluminium Square Base 50 x 50 x 1 View Product Online | <ul style="list-style-type: none"> Material: Aluminium Shape / Design: Square Size / Dimensions: 50 x 50 x 1 | R2900,00 |
| | SKU: IMBASE800 Round Base - Spigot Type View Product Online | <ul style="list-style-type: none"> Material: Aluminium | R6443,26 |

- Trussing Connectors

| Image | Title | Attributes | Retail Price |
|---|---|---|--------------|
|  | SKU: IMTS294-BLOCK-6 Aluminium Truss Box - Spigot Type View Product Online | <ul style="list-style-type: none"> Material: Aluminium | R3700,78 |
|  | SKU: IMCONNECTOR-SET Truss Connector Set View Product Online | <ul style="list-style-type: none"> Material: Aluminium | R250,00 |


- Trussing Accessories


| Image | Title | Attributes | Retail Price |
|---|--|--|--------------|
|  | SKU: IMTS294-SLEEVE 4 Ways Sleeve Block View Product Online | <ul style="list-style-type: none"> Material: Aluminium | R13600,00 |
|  | SKU: IMTSA-03-2 Half Joint View Product Online | <ul style="list-style-type: none"> Material: Aluminium Size / Dimensions: 40mm | R205,00 |

| | | | |
|---|---|--|----------|
|  | SKU: IMCB002-2T Hand Chain Hoist View Product Online | <ul style="list-style-type: none"> Material: Aluminium | R3145,00 |
|  | SKU: IMESPJ-SK02 Imix Lighting Clamp View Product Online | <ul style="list-style-type: none"> Material: Aluminium | R270,00 |
|  | SKU: IMESPJ-DG05 Imix Lighting Clamp View Product Online | <ul style="list-style-type: none"> Material: Aluminium | R260,00 |
|  | SKU: IMESPJ-SK02A Imix Lighting Double Clamp View Product Online | <ul style="list-style-type: none"> Material: Aluminium Size / Dimensions: 43mm~51mm | R330,00 |
|  | SKU: IMESPJ-DG00 Imix Truss Lighting Clamp View Product Online | <ul style="list-style-type: none"> Material: Aluminium | R260,00 |
|  | SKU: TS-SLING-2T-2 Safety Sling 2m View Product Online | <ul style="list-style-type: none"> Material: Polyester Size / Dimensions: Length: 3m | R580,00 |
|  | SKU: TS-SLING-2T-3 Safety Sling 3m View Product Online | <ul style="list-style-type: none"> Material: Polyester Size / Dimensions: Length: 3m | R800,00 |
|  | SKU: PJ-XK001 Screw Pin Anchor Shackle View Product Online | <ul style="list-style-type: none"> Material: Aluminium | R420,00 |

In-Ear Monitoring







- Wireless In-Ear Systems

| Image | Title | Attributes | Retail Price |
|---|--|--|--------------|
|  | SKU: IMK4000 Imix IMK4000 In Ear Monitor Receiver View Product Online | <ul style="list-style-type: none"> Connectivity: Wireless Range: 50 m Operating Frequency Range: 740~770 MHz Number Of Channels: 60 Case: Yes | R1950,00 |


| | | | |
|---|---|--|----------|
|  | SKU: IMK4000L Imix IMK4000L In Ear Monitor Body Pack Transmitter View Product Online | <ul style="list-style-type: none"> • Connectivity: Wireless • Range: 50 m • Operating Frequency Range: UHF 740~770 MHZ • Case: Yes | R1350,00 |
|---|---|--|----------|



Stands

- Speaker Stands


| Image | Title | Attributes | Retail Price |
|---|---|---|--------------|
|  | SKU: IMGU40 Imix IMGU40 Wall Mount Stand View Product Online | <ul style="list-style-type: none"> • Features: Exceptional Load Capacity supports speakers weighing up to 40kg, Full Motion Adjustability - maximum flexibility with tilt, swivel and ith premium materials. | R270,00 |
|  | SKU: IMGU8II-B Imix IMGU8II-B Wall Mount Stand Pair View Product Online | <ul style="list-style-type: none"> • Features: Strong and Secure: Supports monitors weighing up to 15kg, making it compatible with a wide range of speaker sizes, Durable Construction: Built with high-quality materials, the IMGU8II-W ensures long-lasting stability and safety for your monitor. | R202,50 |
|  | SKU: IMGU8II-W Imix IMGU8II-W Wall Mount Stand Pair View Product Online | <ul style="list-style-type: none"> • Features: Strong and Secure: Supports monitors weighing up to 15kg, making it compatible with a wide range of speaker sizes, Durable Construction: Built with high-quality materials, the IMGU8II-W ensures long-lasting stability and safety for your monitor. | R202,50 |
|  | SKU: IMGU8T Imix IMGU8T Monitor Wall Mount Stand Pair View Product Online | <ul style="list-style-type: none"> • Features: Heavy-Duty Support, Space-Saving Design, Adjustable Angles | R270,00 |
|  | SKU: IMWS12 Imix WS-12 Wall Mount Speaker Bracket Pair View Product Online | <ul style="list-style-type: none"> • Features: Adjustable Length: 250mm to 350mm, allowing for customizable positioning. Load capacity: 40kg | R680,00 |
|  | SKU: IMSP02 Imix Adjustable Screw In Speaker Pole View Product Online | | R380,00 |

- Microphone Stands



| Image | Title | Attributes | Retail Price |
|---|---|------------|--------------|
|  | SKU: IMRB01 IM RB01 Microphone Stand View Product Online | | R450,00 |

| | | | |
|---|---|---|---------|
|  | SKU: IMRB02 Imix Boom Arm Round Base Silver Mic Stand View Product Online | <ul style="list-style-type: none"> • Features: Heavy-Duty Round Base: The sturdy, weighted round base provides exceptional stability, ensuring your microphone stays securely in place, even during dynamic performances or extended recording sessions. | R650,00 |
|  | SKU: IMS017 Imix MS-017 Professional Boom Microphone Stand View Product Online | | R220,00 |




- TV Stands


| Image | Title | Attributes | Retail Price |
|---|--|--|--------------|
|  | SKU: IMTS-TV Imix Aluminum Truss TV Stand View Product Online | <ul style="list-style-type: none"> • Features: Works with universal Mounting TV Brackets (TV mount bracket not included), Landscape and Portrait Mounting options | R10350,00 |

- Music Sheet Stands

| Image | Title | Attributes | Retail Price |
|---|--|--|--------------|
|  | SKU: IMGSS-01 Collapsible Music Sheet Stand View Product Online | <ul style="list-style-type: none"> • Features: Partition design, convenient for performers to put stuff for their performance, With aluminum alloy connector, stable and durable. | R550,00 |
|  | SKU: IMMS01 Imix Metal Music Sheet Stand View Product Online | | R380,00 |






- Other Stands

| Image | Title | Attributes | Retail Price |
|---|--|--|--------------|
|  | SKU: IM-PD1000 Imix Single Tube Podium View Product Online | <ul style="list-style-type: none"> • Features: Sleek Single-Tube Design: A contemporary, space-saving design that adds a touch of sophistication to any setting. Durable Construction: Made from high-quality materials, ensuring stability and longevity for years of use. | R4450,00 |
|  | SKU: PMS1300G Imix Gold Aluminum Podium View Product Online | | R7800,00 |
|  | SKU: PMS1300S Imix Silver Aluminum Podium View Product Online | <ul style="list-style-type: none"> • Features: Acrylic top piece steel base, Height (mm): 1230 | R7800,00 |

| | | | |
|---|--|--|---------|
|  | SKU: IMKS-622B Imix KS622B Keyboard Stand View Product Online | | R600,00 |
|---|--|--|---------|


Cases, Racks and Bags



- Flight cases

| Image | Title | Attributes | Retail Price |
|---|--|---|--------------|
|  | SKU: IMFC10U Imix 10U Plywood Flight Case View Product Online | <ul style="list-style-type: none"> Material: Plywood | R3600,00 |
|  | SKU: IMFC12U Imix 12U Plywood Flight Case View Product Online | <ul style="list-style-type: none"> Material: Ply wood and steel Wheels: Yes Weather Resistance: Yes Rackmount Compatibility: Yes Handles/Straps: Yes | R4300,00 |
|  | SKU: IMFC14U Imix 14U Plywood Flight Case View Product Online | <ul style="list-style-type: none"> Material: Plywood | R4500,00 |
|  | SKU: IMFC16U Imix 16U Plywood Flight Case View Product Online | <ul style="list-style-type: none"> Material: Plywood | R5100,00 |
|  | SKU: IMFC8U Imix 8U Plywood Flight Case View Product Online | <ul style="list-style-type: none"> Material: plywood Wheels: No Weather Resistance: Yes | R3500,01 |









Cables












- RCA Cables








| Image | Title | Attributes | Retail Price |
|---|--|--|--------------|
|  | SKU: IMECA2X2-1.5 1.5M RCA To RCA Cable View Product Online | <ul style="list-style-type: none"> Length: 1.5 M Connector Type: RCA Conductor Material: Oxygen-free copper | R130,00 |

| | | | |
|---|--|--|---------|
|  | SKU: IMRCA2X2-3 3M RCA To RCA Cable View Product Online | <ul style="list-style-type: none"> Length: 3 M Connector Type: RCA Conductor Material: Oxygen-free copper | R150,00 |
|  | SKU: IMRCA2X2-5 5M RCA To RCA Cable View Product Online | <ul style="list-style-type: none"> Length: 5 M Connector Type: RCA Conductor Material: Oxygen-free copper | R200,00 |




- Audio Cables




| Image | Title | Attributes | Retail Price |
|---|---|--|--------------|
|  | SKU: IMC2288CB Imix MC2288CB Wireless Conference Microphone Cable 5M View Product Online | <ul style="list-style-type: none"> Length: 5M Conductor Material: Oxygen-free copper Connector Type: 8 Pin | R360,00 |
|  | SKU: IMECA2X2-1.5 1.5M RCA To RCA Cable View Product Online | <ul style="list-style-type: none"> Length: 1.5 M Connector Type: RCA Conductor Material: Oxygen-free copper | R130,00 |
|  | SKU: IMSJ2R1.8 1.8M JACK To RCA Cable View Product Online | <ul style="list-style-type: none"> Length: 1.8 M Connector Type: Jack To RCA Conductor Material: Oxygen-free copper | R300,00 |
|  | SKU: 2J20 100M Roll Speaker Cable 8mm View Product Online | | R1400,00 |
|  | SKU: IMS2J10 10M Speakon To Jack Cable View Product Online | | R160,00 |
|  | SKU: IMS10 10M Speakon To Speakon Cable View Product Online | | R200,00 |
|  | SKU: IMCJ10 10M XLR To Jack Cable View Product Online | <ul style="list-style-type: none"> Length: 10 M Connector Type: XLR To Jack Conductor Material: Oxygen-free copper | R180,00 |
|  | SKU: IMCC10 10M XLR To XLR Cable View Product Online | <ul style="list-style-type: none"> Length: 10 M Connector Type: XLR Conductor Material: Copper | R180,00 |

| | | | |
|---|--|---|---------|
|  | <p>SKU: IMS2J15</p> <p>15M Speakon To Jack Cable</p> <p>View Product Online</p> | | R220,00 |
|  | <p>SKU: IMS15</p> <p>15M Speakon To Speakon Cable</p> <p>View Product Online</p> | | R260,00 |
|  | <p>SKU: IMCJ15</p> <p>15M XLR To Jack Cable</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Length: 15 M • Connector Type: XLR To Jack • Conductor Material: Oxygen-free copper | R240,00 |
|  | <p>SKU: IMCC15</p> <p>15M XLR To XLR Cable</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Length: 15 M • Connector Type: XLR • Conductor Material: Oxygen-free copper | R250,00 |
|  | <p>SKU: IMSJ20</p> <p>20M Speakon To Jack Cable</p> <p>View Product Online</p> | | R340,00 |
|  | <p>SKU: IMS20</p> <p>20M Speakon To Speakon Cable</p> <p>View Product Online</p> | | R350,00 |
|  | <p>SKU: IMCJ20</p> <p>20M XLR To Jack Cable</p> <p>View Product Online</p> | | R310,00 |
|  | <p>SKU: IMCC20</p> <p>20M XLR To XLR Cable</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Length: 20 M • Connector Type: XLR • Conductor Material: Oxygen-free copper | R320,00 |
|  | <p>SKU: IMGTC3M</p> <p>3M Jack To Jack Cable</p> <p>View Product Online</p> | <ul style="list-style-type: none"> • Length: 3 M • Connector Type: Jack • Conductor Material: Oxygen Free Copper | R100,00 |
|  | <p>SKU: IMS2J5</p> <p>5M Speakon To Jack Cable</p> <p>View Product Online</p> | | R120,00 |
|  | <p>SKU: S2S5</p> <p>5M Speakon To Speakon Cable</p> <p>View Product Online</p> | | R160,00 |


| | | | |
|---|--|--|---------|
|  | SKU: IMCJ5 5M XLR To Jack Cable View Product Online | <ul style="list-style-type: none"> Length: 5 M Connector Type: XLR To Jack Conductor Material: Oxygen-free copper | R130,00 |
|  | SKU: IMCC5 5M XLR TO XLR Cable View Product Online | | R130,00 |
|  | SKU: IMGTC6S 6M Jack To Jack Cable View Product Online | <ul style="list-style-type: none"> Length: 6 M Connector Type: Jack Conductor Material: Oxygen-free copper | R200,00 |
|  | SKU: IMGTC6S 6M Material Jack To Jack Cable View Product Online | | R200,00 |
|  | SKU: IMBJ2BJ Jack To Jack 6 Pack View Product Online | <ul style="list-style-type: none"> Length: 1 M Connector Type: Jack Conductor Material: Oxygen-free copper | R260,00 |
|  | SKU: IMSPK-BL Speakon Plug View Product Online | | R60,00 |
|  | SKU: IMXLRMF16 XLR To XLR 6 Pack 2 Core View Product Online | | R370,00 |

- Snake Cables

| Image | Title | Attributes | Retail Price |
|---|---|--|--------------|
|  | SKU: KSC-30-12+4 30M Snake Cable 12 Channels 4 Returns View Product Online | <ul style="list-style-type: none"> Length: 30 M Connector Type: Multi-XLR socket Conductor Material: Oxygen-free copper | R4925,00 |
|  | SKU: KSC-30-16+4 30M Snake Cable 16 Channels 4 Returns View Product Online | <ul style="list-style-type: none"> Length: 30 M Conductor Material: Oxygen-free copper | R5700,00 |
|  | SKU: KSC-30-8+4-T 30M Snake Cable 8 Channels 4 Returns View Product Online | <ul style="list-style-type: none"> Length: 30 M Connector Type: Multi-XLR socket Conductor Material: Oxygen-free copper | R4150,00 |


| | | | |
|---|--|--|-----------|
|  | <p>SKU: KSC-50-24+4</p> <p>50M Snake Cable 24 Channels 4 Returns</p> <p>View Product Online</p> | <ul style="list-style-type: none"> Length: 50 M Conductor Material: Oxygen-free copper Connector Type: XLR | R13500,00 |
|  | <p>SKU: KSC-50-24+8</p> <p>50M Snake Cable 24 Channels 8 Returns</p> <p>View Product Online</p> | <ul style="list-style-type: none"> Length: 50 M Connector Type: Multi-XLR socket Conductor Material: Oxygen-free copper | R16150,00 |
|  | <p>SKU: KSC-50-32+8</p> <p>50M Snake Cable 32 Channels 8 Returns</p> <p>View Product Online</p> | <ul style="list-style-type: none"> Length: 50 M Conductor Material: Oxygen-free copper | R16150,00 |

- Other Cables

| Image | Title | Attributes | Retail Price |
|---|--|------------|--------------|
|  | <p>SKU: IM2CSP9</p> <p>100M Roll Speaker Cable 9mm</p> <p>View Product Online</p> | | R1850,00 |

Musical Instruments

- Conga

| Image | Title | Attributes | Retail Price |
|---|--|------------|--------------|
|  | <p>SKU: JDCG-1112-SB</p> <p>Conga set - Sunburst</p> <p>View Product Online</p> | | R6100,00 |